Gigaset

A540 - A540 A


Congratulations

By purchasing a Gigaset, you have chosen a brand that is fully committed to sustainability.

This product's packaging is eco-friendly!

To learn more, visit www.gigaset.com.









Gigaset A540A





Gigaset service contact numbers:



Service Centre UK: 020 369 53111 Service Centre Ireland: 0818 200 033 Please have your proof of purchase ready when calling.



Overview

Handset

- Display
- 2 Status bar (> page 33)

Icons display current settings and operating status of the telephone

- Display keys (> page 8)
- End call key, On/off key

End a call:

Cancel function

Go back one menu level Press briefly Return to idle status Hold down

Hold down Switch the handset on/off (in display's idle status)

Hash key

Keypad lock on/off (in display's idle status) Hold down

Toggle between upper/lower case and digits;

Recall key

Consultation call (flash) Insert a dialling pause

Press briefly Hold down

- Microphone
- Message key (→ page 10)

Access to the calls and message lists;

Flashing: new message or new call

Star key

In idle status:

Hold down

Deactivate the ringtone With an existing connection: switch from pulse dialling to tone

Press briefly

dialling

10 Key 1

Select answer machine (A540A only)/network mailbox

Hold down

11 Talk key / Handsfree key

Dial number displayed;

Accept call; switch from earpiece to handsfree mode; Open the redial list Press briefly

Start dialling

Hold down

12 Control key/Menu key (→ page 8)

Gigaset A540 base

13 Registration/paging key

Locating a handset ("paging") → page 20.

Press briefly

Register handsets and DECT devices > page 20

Hold down

Gigaset A540A base

13 Registration/paging key

Locating a handset ("paging") Press briefly → page 20.

Register handsets and DECT devices Hold down page 20

14 Delete key

Delete current message.

15 On/Off/Playback/Stop key

Activate or deactivate the answer Hold down

Play new messages if available, or Press briefly play back old messages

Press briefly Cancel playback Key lights up: The answer machine is activated

Key flashing: The answer machine is recording a message

Key flashing slowly: New messages available

Key flashing Answer machine is full quickly:

16 Forward key

Skip to next message (during playback).

17 Back key

Skip to previous message during the Press briefly time stamp playback

Skip to the start of the message during message playback

Press briefly

18 Volume adjustment

Change volume:

= quieter; + = louder

During message playback Ringtone volume when an

external call is displayed

Using the user guide effectively

Icons



Warnings, the non-adherence to which can lead to injury to persons or damage to devices or generate costs.



Prerequisite, to be able to carry out the following action.



Important information regarding function and appropriate handling.

Keys



Overview of display icons (> page 33).

Functions, confirming and selecting

Confirm selection using
OK
One menu level back using
Change to idle display
Function selected/activated
OK
Hold down

Function not selected/deactivated

Procedures

Example: Activating/deactivating Auto answer

Illustration in the user guide:

Menu ▶ ♦ Settings ▶ OK ▶ ♦ Telephony ▶ OK ▶ Auto Answer ▶ OK (= activated)

Step:	Follow this procedure:
▶ Menu	In idle status press the display key Menu . The main menu opens.
▶ 🖨 Settings▶ OK	Select Settings using the control key 🖨. Press OK to confirm. The submenu Settings opens.
▶ (‡) Telephony▶ OK	Select Telephony using the control key 🖨. Press OK to confirm. The submenu Telephony opens.
Auto Answer	The activate/deactivate auto answer function appears as the first menu item.
▶ OK	Activate or deactivate using OK . The Auto Answer is activated $\boxed{\ }$ or deactivated $\boxed{\ }$.

Contents

Overview
Gigaset A540 base
Gigaset A540A base
Handset
Using the user guide effectively
Safety precautions4
Getting started
Using the telephone
Making calls
Answer machine (Gigaset A540A)
Network mailbox
Messages
Phonebook (Address book)
Additional functions
Alarm clock
ECO DECT
Expanding the functionality of the telephone
Multiple handsets
Repeater
Operation with router
Operating a PABX
Adjusting the telephone settings23
Manufacturer's advice
Service (Customer Care)
Environment
Appendix 30
Display icons
Index 34

Safety precautions



- Read the safety precautions and the user guide before use.
- Explain their content and the potential hazards associated with using the device to your children.
- The device cannot be used in the event of a power failure. In case of a power failure it is also not
 possible to make emergency calls.
- Emergency numbers **cannot** be dialled if the **keypad/display lock** is activated!



Use only the power adapter indicated on the device.



Use only **rechargeable batteries** that correspond to the **specification** (see "Specifications"). Never use a conventional (non-rechargeable) battery or other battery types as this could result in significant health risks and personal injury. Rechargeable batteries, which are noticeably damaged, must be replaced.



Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment, e.g. doctor's surgery.

If you use a medical device (e.g. a pacemaker), please contact the device manufacturer. They will be able to advise you regarding the susceptibility of the device to external sources of high frequency energy (for the specifications of your Gigaset product see "Specifications").



Do not hold the rear of the handset to your ear when it is ringing or when speaker mode is activated. Otherwise you risk serious and permanent damage to your hearing.

Your Gigaset is compatible with the majority of digital hearing aids on the market. However, perfect function with all hearing aids cannot be guaranteed.

The phone may cause interference in analogue hearing aids (humming or whistling) or cause them to overload. If you require assistance, please contact the hearing aid supplier.



The devices are not splashproof. For this reason do not install them in a damp environment such as bathrooms or shower rooms.



Do not use the devices in environments with a potential explosion hazard (e.g. paint shops).



If you give your Gigaset to a third party, make sure you also give them the user guide.



Remove faulty devices from use or have them repaired by our Service team, as these could interfere with other wireless services.



Do not use the device if the display is cracked or broken. Broken glass or plastic can cause injury to hands and face. Send the device to our Service department to be repaired.



To prevent loss of hearing, avoid listening at high volume over long periods of time.

Getting started

Contents of the package

- One base.
- · One power adapter for the base,
- One telephone cord.
- One handset.
- · One battery cover (rear cover for the handset),
- Two batteries.
- · One user quide.

Sales variants with multiple handsets: The package should contain two batteries, a battery cover and a charging cradle with power adapter for each additional handset.

Setting up the base and charging cradle

The base and charging cradle are designed for use in closed, dry rooms within a temperature range of $+5^{\circ}$ C to $+45^{\circ}$ C.

Position the base and charging cradle on a level, non-slip surface at a central point in the building or house, or mount the charging cradle onto the wall.

The device's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on today's furnishings, marks on the surfaces cannot be completely ruled out.



- · Never expose the telephone to heat sources, direct sunlight or other electrical devices.
- Protect your telephone from moisture, dust, corrosive liquids and vapours.
- Pay attention to the range of the base. This is up to 50 m inside buildings and up to 300 m in unobstructed outdoor areas. The range is reduced when Max. Range is deactivated (→ page 19).


Connecting the base





- The power adapter must always be connected, as the telephone will not operate without a power supply.
- Only use the supplied power adapter and telephone cord. Pin connections on telephone cables can vary (pin connections → page 32).

Connecting the charging cradle (if included)



- Connect the flat plug of the power adapter to the charging cradle 1.
- Plug the power adapter into the power socket 2.

If you have to remove the plug from the charging cradle again:

- Disconnect the power adapter from the mains power supply.
- ▶ Press the release button 3 ▶ Disconnect the plug 4.

Setting up the handset for use

The display is protected by a plastic film: Remove the protective film!

Inserting the batteries



Use only rechargeable batteries recommended by Gigaset Communications GmbH (\rightarrow page 31), as this could otherwise result in significant injury to health and material damage. For example, the outer casing of the batteries could be destroyed or the batteries could explode. The telephone could also malfunction or be damaged as a result of using batteries that are not of the recommended type.



 Insert the batteries (for correct +/- direction, see diagram).



- Insert the battery cover from the top 1.
- Then press the cover until it clicks into place 2.



To open the battery cover:

Grip the notch on the coverand slide itdownwards 4.

Charging the batteries

Charge the batteries fully prior to first use in the base/charging cradle.

The batteries are fully charged when the power icon ${\cal F}$ disappears from the display.





The handset may only be placed in the designated base/charging cradle.



- The battery may heat up during charging. This is not dangerous.
- After a time, the charge capacity of the battery will decrease for technical reasons.

Display language

Menu ► 🖨 Settings ► OK ► 🖨 Language ► OK ► ... select language with 🖨 ► OK (🗹 = selected)



If you do not understand the language currently set:

Registering the handset

Handsets contained in the package have already been registered to the base.

If, however, a handset has not been registered (display "Register handset" or "Place handset into base"), you must register it to the base.

- · Registering automatically to Gigaset A540-A540A base
 - Place the handset into the base



If automatic registration does not work, the handset will have to be registered manually (> page 20).

Date and time

Set the date/time so that the correct date and time can be assigned to incoming calls, and so that you can use the alarm.

During set up: During later use: ► Time ► ... set date with ∰ ► OK ► ... set time with ∰ ► OK
► Menu ► 🖒 Settings ► OK ► Date/Time ► OK ► ... set date

with 🥦 ▶ OK ▶ ... set time with 🕦 ▶ OK

The telephone is now ready for use.

Using the telephone

Switching the handset on/off

Locking/unlocking the keypad

The keypad lock prevents any accidental use of the telephone.

Activating/deactivating keypad lock: ▶ #→ hold down



- If a call is signalled on the handset, the keypad automatically unlocks.
 The call can be accepted.
- It then locks again when the call is finished.

Control key

The control key allows you to navigate within menus and entry fields. In idle status or during a external call, it has the following functions:




In idle status	During a conversation	
Open phonebook.	Open phonebook.	
Open the main menu.	Mute microphone.	
Open list of handsets.	Initiate an internal consultation call.	
Open the Audio Settings (→ page 23) menu.	Adjust the loudspeaker volume for earpiece and handsfree mode.	

In the description below, the side of the control key (up, down, right, left) that you have to press in the different operating situations is marked in black, e.g. 🕞 for "press right on the control key".

Display keys

Different functions are displayed over the function keys depending on the operating situation. Example



Menu guidance

The functions of the telephone are displayed in a menu that consists of several levels.

Opening the main menu (in idle status):

▶ Press **right** 🕒 on the control key ▶ ... scroll to the function with the control key 🖨 ▶ **OK**

Returning to the previous menu level:

- ▶ Press the display key Back
- or Briefly press the End call key তি

Returning to idle status

▶ Press and hold the End call kev তি.



If no key is pressed, the display will automatically change to idle status after 2 minutes.

Entering text

• Input position: Numbers/letters/characters are inserted at the cursor position

Press the display key Del.

Placing the cursor: ▶ Press the control key <a> Press

Names in the phonebook

Selecting desired letters/characters:

Deleting characters to the left of the cursor:

- ... Press the key briefly several times in succession
- or ... Press and hold the kev.
- Lowercase, uppercase and digits for the following letters: ▶ Press the hash key !...



The first letter and each letter following a space is automatically in upper case.

Making calls

Making an external call

- ▶ ... Enter the number ▶ Press the Talk key <a> briefly
- or Press and **hold** the Talk key 🔼 🕨 ... enter number

Cancel dialling: ▶ Press the End call key 🗟

Dialling from the phonebook

▶ ... open the phonebook with <a>□ <a>▶ ... select entry with <a>□ <a>₱ press the Talk key <a>□

Dialling from the redial list

The redial list contains the 10 numbers last dialled with the handset.

▶ Press the Talk key 🖪 briefly ... Redial list is opened ▶ ... select entry with 🖨 ▶ press the Talk key 🖪

Managing entries in the redial list

▶ Press the Talk key 🗗 briefly ... Redial list is opened ▶ ... select entry with 🖨 ▶ Menu ... then

· Copy the number to the display:

Copy the entry to the phonebook (→ page 16):

· Delete the selected entry:

Delete all entries:

▶ 🖨 Use Number ▶ OK

▶ ♠ Copy to Directory ▶ OK

▶ ♣ Delete Entry ▶ OK

▶ 🖨 Delete List ▶ OK



The numbers can be edited or added here.

Dialling from the call list

The call list (→ page 16) contains the last 25 numbers for all calls or for only missed (not received) calls, depending on the type of list set.

▶ Press the Message key 💌 🕨 🗘 Calls List: ▶ OK ▶ ... select entry with 🗘 ▶ press the Talk key 🔼

Accepting a call

Accepting a call: Press the Talk key 🖪

or if Auto Answer is activated (→ page 24):

... Remove the handset from the charging cradle

Accepting a call on the Gigaset L410 handsfree clip: ▶ Press the Talk key <a>[on the L410



The L410 must be registered to the base, see Gigaset L410 user guide.

Caller display

Calling Line Identification

The caller's telephone number is displayed. If the caller's number is saved in the phonebook, the name is displayed.

No Calling Line Identification

Instead of name and number, the following is displayed:

- External Call: No number has been transferred
- Withheld: Caller has withheld Calling Line Identification
- Unavailable: Caller has not requested Calling Line Identification



By default, the number of the caller is shown on your telephone.

Handsfree mode

To activate/deactivate handsfree mode during a call, when establishing a connection and when listening to the answer machine (A540A only):

Press the Talk key 4.

Placing the handset in the charging cradle during a call:

▶ Press and hold down the Talk key
▶ ... Place the handset in the charging cradle
▶ ... hold down
for a further 2 seconds

Call volume

- Accessing the settings during a call for the mode currently in use (handsfree, earpiece):
 - ▶ Control key 🖹 ▶ ... set volume with 🖹 ▶ OK



The setting is automatically stored after around 2 seconds, even if **OK** is not pressed.

- · Accessing the settings via the menu:
 - ▶ Menu ▶ ♦ Settings ▶ OK ▶ ♦ Audio Settings ▶ OK ▶ Call Volume ▶ OK ▶ ... then
- Loudspeaker volume: ▶ 🖨 Handsfree Volume ▶ OK ▶ ... set volume with 🖨 ▶ OK (✓ Saved)

Mute microphone

When the microphone is deactivated during a conversation, the other caller cannot hear.

Activating/deactivating the microphone:

Press

Automatic network provider selection (Preselection)

A call-by-call number (preselection number) is **automatically** prefixed when dialling, e. g. for international calls via a special network provider.

In the "With Preselect" list, the area code or the first digits of the area codes are entered, for which the preselection number should be used.

In the "Without Presel." list, the exceptions to the "With Preselect" list are entered.

Example:

Presel. Number	0999
With Preselect	08
Without Presel.	081
	084

All numbers beginning with 08, with the exception of 081 and 084, are dialled using preselection number 0999.

Number		Selected number
07112345678	•	07112345678
08 912345678	•	0999 08912345678
084 12345678	•	08412345678

Entering the preselection number:

▶ Menu ▶ ⑤ Settings ▶ OK ▶ ⑤ Telephony ▶ OK ▶ ⑤ Preselection ▶ OK ▶ Presel. Number ▶ OK ▶ Enter number ▶ ... with
™ ▶ OK (✓ Saved)

Entering the numbers to be dialled with preselection in the "With Preselect" list:

Menu ▶ ⑤ Settings ▶ OK ▶ ⑤ Telephony ▶ OK ▶ ⑤ Preselection ▶ OK ▶ ⑤ With Preselect ▶ OK ▶ 1:--- ▶ OK ▶ Enter number ▶ ... with ∰ ▶ OK (✓ Saved)

Entering the numbers to be dialled without preselection in the "Without Presel." list:

Menu ▶ ⑤ Settings ▶ OK ▶ ⑤ Telephony ▶ OK ▶ ⑤ Preselection ▶ OK ▶ ⑤ Without Presel. ▶ OK ▶ 1:--- ▶ OK ▶ Enter number ▶ ... with ∰ ▶ OK (✓ Saved)

To deactivate preselection permanently, delete the preselection number using the display key Del.

Cancelling of preselection for the current call

- ▶ Hold down the Talk key 🕜 ▶ Menu ▶ 🖨 Preselect off ▶ OK ▶ ... then
 - ... enter the number with 📆
- or ... copy the number from the phonebook with \square press the Talk key \square

Answer machine (Gigaset A540A)

Operation

Operating via the base (→ page 1)



If the answer machine is being operated via a handset or if it is recording a message (key flashes), it cannot be operated from the base at the same time.

Operating via the handset

Activating/deactivating the answer machine

Menu ▶ ♦ Voice Mail ▶ OK ▶ ♦ Activation ▶ OK (= activated)

Playing back messages

Using the Message key: ▶ Message key ▶ ♠ Answ. M. ▶ OK

or using the menu: ▶ Menu ▶ 🖨 Voice Mail ▶ OK ▶ Play Messages ▶ OK

or using the menu (if a network mailbox is configured):

▶ Menu ▶ ♣ Voice Mail ▶ OK ▶ Play Messages ▶ OK ▶ ♣ Answ.

Mach. ▶ OK

or using the key 🖃: • Hold down key 🖭 ... the answer machine begins message play-

back immediately



Answer machine is assigned to key □: ▶ Menu ▶ ♠ Voice Mail ▶ OK ▶ ♠ Set Key 1 ▶ OK ▶ ♠ Answ. Mach. ▶ OK (♥ = selected)



New messages are played back first.

The following options are available during playback:

Stop playback: 2 or Menu

Continue playback: 2ss or ▶ ♠ Continue ▶ OK

Skip to the previous message

during the time stamp playback:

Skip to the start of the current message

during message playback:

Delete the current message: 0- or **Del.**

Delete all old messages: ▶ Menu ▶ 🖨 Delete all old ▶ OK ▶ ...confirm prompt

with **OK**

Call back a caller: ▶ Menu ▶ 🖨 Dial Number ▶ OK

Copy the number to the phonebook: ▶ Menu ▶ ② Copy to Dir. ▶ OK

Picking up the call during recording

Press the display key Accept

or Press the Talk key 🔼



If call screening via the handset is activated and the conversation can already be listened to on the handset, handsfree can be activated and deactivated by simply pressing the Talk key <a>[4].

2

Operating when on the move (remote operation)

Check or activate the answer machine from another telephone (e.g. hotel, mobile telephone).



The system PIN is set to something other than 0000 (\Rightarrow page 25) and the other telephone has tone dialling (DTMF).

Activating the answer machine



The answer machine is deactivated.

 ... Call your own telephone connection and allow it to ring until "Please enter PIN" is stated ... Enter the system PIN within 10 seconds

Checking the answer machine



The answer machine is activated.

▶ ... Call your own telephone connection and press the ② key during playback of the announcement ▶ ... Enter system PIN

The answer machine is operated using the keypad:

During the time stamp playback: Skip to previous message.

During message playback: Go to the start of the current message.

Stop playback. Press again to resume.

After a pause of approx. 60 seconds, the connection is ended.

Go to the next message.

Delete current message.

Cancelling remote operation:

▶ Press 🖘

or

▶ Replace the earpiece



The answer machine will terminate the connection under the following circumstances:

- · The entered system PIN is incorrect.
- · There are no messages on the answer machine.
- · After the remaining memory announcement.

Settings

Announcement



A factory-set default announcement is available on your answer machine.

Recording

Menu ▶ ♠ Voice Mail ▶ OK ▶ ♠ Announcements ▶ OK ▶ Rec announce. ▶ OK ▶ Start recording? ▶ OK ▶ ... speak an announcement after the ready tone ▶ Stop recording ▶ OK ... after recording, the announcement is played back to check



- The recording ends if there is a pause lasting longer than 3 seconds.
- If you cancel the recording, the default announcement is used.
- · Announcement length min. 3 seconds, max. 180 seconds.

Cancelling the recording:

▶ Briefly press the End call key ⑤.

or Press Back

Plavback

▶ Menu ▶ 🗘 Voice Mail ▶ OK ▶ 🖨 Announcements ▶ OK ▶ 🗘 Play announce. ▶ OK

If you have not recorded a personal announcement, the default announcement is played.

Deletina

▶ Menu ▶ ⑤ Voice Mail ▶ OK ▶ ⑤ Announcements ▶ OK ▶ ⑤ Del announce. ▶ OK ▶ ... confirm prompt with OK

Additional optional settings

Recording parameters

▶ Menu ▶ 🗘 Voice Mail ▶ OK ▶ ... then

• Recording time: ▶ ♠ Message Length ▶ OK ▶ ... select 1 Minute / 2 Minutes / 3 Minutes /

Maximum with \bigcirc **OK** (\bigcirc = selected)

Ring delay:
 ▶ 🖨 Ring Delay
 ▶ OK
 ▶ ... select 10 sec / 18 sec / 30 sec / Auto with

OK(= selected)



If the ring delay is set to **Auto** and new messages are available, ring delay is carried out after 10 seconds. or otherwise after 18 seconds.

Call screening via the handset/base

Menu ► ♦ Voice Mail ► OK ► ♦ Call Screening ► ♦ Handset / Base ► OK (= activated)



Deactivating call screening on the handset for the current playback: ▶ Press the End call key ৃ

Network mailbox



To be able to use the network mailbox, it must be **requested** from the network provider and the number must be stored in the telephone: ▶ Menu ▶ ② Voice Mail ▶ OK ▶ ③ Net Mailbox ▶ OK ▶ ... enter the network mailbox number with ∰ ▶ OK

Playing back messages

Using the Message key: ▶ Message key ▶ ♠ Net Mailbox ▶ OK

or using the menu: ▶ Menu ▶ 🗘 Voice Mail ▶ OK ▶ Play Messages ▶ OK

or using the menu (Gigaset A540A):

▶ Menu ▶ 🖨 Voice Mail ▶ OK ▶ Play Messages ▶ OK ▶ Net

Mailbox ▶ OK

or using the key 🗀: • Hold down key 🗀 ... the network mailbox is called directly



Answer machine is assigned to key □: ▶ Menu ▶ ♠ Voice Mail ▶ OK ▶ ♠ Set Key 1 ▶ OK ▶ ♠ Net Mailbox ▶ OK (♥ = selected)

Messages

Message lists

Incoming messages are saved in the message lists. An advisory tone sounds as soon as a **new entry** appears on a list. The Message key also flashes (if activated, **page 15). Icons for message types and the number of new messages are shown on the idle display:

- on the answer machine (A540A only)/network mailbox
 (→ page 12, → page 14)
- 🖍 in the call list (→ page 16).

Opening message lists

- ▶ Press the Message key <a> ▶ ... select message list with <a> □ :
 - Answer M.: Answer machine list (A540A only)
 - Net. MBX: Network mailbox (→ page 14)
 - · CallsList: Call list (→ page 16)
- ... Open selected message list with OK



- If new messages are available, only lists with new messages are displayed.
- The icon for the network mailbox is always displayed, provided the number is stored in the telephone. The other lists are only displayed if they contain messages.
- If you select the network mailbox, the network mailbox number will be selected (→ page 14).
 Lists are not opened on the display.

7 rors 4 sn

7 ros 5 xx.

0_

Flashing message key

Receipt of new messages is displayed by a flashing message key on the handset. This type of alert can be activated/deactivated

▶ Menu ▶ ★○#→○□5 ⋒#→ ... the number 9 appears on the display ▶ ... select the message type with 1...

- Messages on the network mailbox
- · Missed calls

• (Gigaset A540A only) Messages on the answer machine

... the number 9 followed by the entry (e.g. 975) is displayed, the current setting flashes in the entry field

- The Message key flashes
- · The Message key does not flash
- ... confirm desired setting with OK

(e.g. **0**) ▶ ... customise for new messages with **!!**:

Example



Call lists

The call list contains the last 25 numbers for all calls or for only missed (not received) calls, depending on the type of list set.

The following information is displayed in the list entries:

- · Entry status:
 - · New Call: New missed call.
 - · Old Call: Entry already read.
 - · Answ.: Call was accepted.
 - · Answ. M.: Message on the answer machine.
- Caller's number. If the number is saved in the phonebook, the name is displayed instead.
- · Date and time of call (if set).

Setting the list type

- Menu ▶ ♠ Settings ▶ OK ▶ ♠ Telephony ▶ OK ▶ ♠ Calls List Type ▶ OK ...then
- Select missed calls:

- Missed Calls ► OK (= selected)

Opening the call list

Message key ■ ► (CallsList ... the list with the number of new entries (1) and the number of old (read) entries (2) is displayed ► OK

Calling back a caller from the call list

▶ Press the Talk key <a>[

Additional options

▶ Menu ...then

- Copy an entry to the phonebook (→ page 16): ▶ 🖨 Copy to Dir. ▶ OK
- · Delete the selected entry:

▶ □ Delete Entry ▶ OK

Delete all entries:

▶ 🖒 Delete List ▶ OK





Phonebook (Address book)

A name and number is stored in a **phonebook entry** (entering of numbers/letters/characters → page 9).



Number of entries

up to 150

Length of entries

numbers: max. 32 digits names: max. 16 characters

- A special background colour and caller melody can be assigned to each entry (→ page 17).
- The phonebook is created individually for each handset. The whole phonebook or individual
 entries, however, can be copied to other handsets (> page 18).
- · Sort order:
 - Space | Digits (0-9) | Letters (alphabetical) | Other characters

Opening phonebook

▶ Press 🖵 in idle status

Phonebook entries

Creating an entry

- ▶ 🖵 ... then
 - Storing the first entry in the phonebook:
 - ▶ Dir. empty New Entry? ▶ OK ▶ ... enter number with 👭 ▶ OK ▶ ... enter name with 👭 ▶ OK
 - Storing an additional entry in the phonebook:
 - Menu New Entry OK ... enter number with ₩ New Entry OK ... enter name with ₩ New Entry

Selecting an entry

▶ ... enter the first few letters with # ... the display skips to the first name that begins with these letters ▶ ... scroll to the desired entry with # if necessary



Scrolling continuously upwards or downwards in the phonebook:

▶ Hold down 🖨

Changing an entry

▶ ② ▶ ... select the desired entry with ② ▶ Menu ▶ ② Edit Entry ▶ OK ▶ ... edit the number with ™ ▶ OK ▶ ... edit the name with ™ ▶ OK

Marking an entry as VIP

A **VIP Caller Melody** and/or a **VIP Caller Colour** can be assigned to each entry. The entry is displayed in the phonebook in this colour with the icon **.**

- ▶ 📮 ▶ ... select the desired entry with 🖨 ▶ Menu ▶ ... then
- Colour: ▶ 🖨 VIP Caller Colour ▶ OK ▶ ... select the desired colour with 🖨 ▶ OK

Editing/adding call number

▶ □ ▶ ... select the desired entry with □ ▶ Menu ▶ □ Use Number ▶ OK ... number appears in the display ▶ ... edit/add number with □ ▶ ... select number with □



The number on the display can be copied to the phonebook:

▶ Menu ▶ Copy to Directory ▶ OK

Deleting an entry

▶ 🖵 ▶ ... select the desired entry with 🗘 ▶ Menu ▶ 🗘 Delete Entry ▶ OK

Deleting all phonebook entries

▶ 🔘 ▶ Menu ▶ 🖨 Delete List ▶ OK ▶ Delete? ▶ OK

Quick dial keys

Entries from the phonebook can be allocated to keys 0 and 2 to 9:

- ▶ 🖵 ▶ ... select the desired entry with 🗘 ▶ Menu ▶ 🗘 Shortcut ▶ OK ... then
 - ... press the desired key with 1981
- or ... select the desired key with 🗘 🕨 OK

Dialling: ... hold down the corresponding guick dial key in idle status

Copying an entry/phonebook

The entire phonebook or individual entries can be copied.



- The sending and receiving handset must both be registered to the same base.
- The other handset and the base can send and receive phonebook entries.



- An external call interrupts the transfer.
- VIP Caller Melody and VIP Caller Colour are not copied.
- · Entries with numbers already stored are discarded.

Copying individual entries

▶ □ ▶ ... select the desired entry with □ ▶ Menu ▶ □ Send Entry ▶ OK ▶ ... select the recipient handset with □ ▶ OK ... after successful transfer, Entry copied. Next entry? is displayed ... then

If one additional entry must be sent:

▶ Back

If no additional entries must be sent:

Copying the entire phonebook

▶ 📮 ▶ Menu ▶ 🖨 Send List ▶ OK ▶ ... select the recipient handset with 🖨 ▶ OK

Copying numbers to the phonebook

Copying numbers to the phonebook that are displayed in a call list or the redial list, and numbers that have already been entered to dial:



A number is shown on the display.

▶ Menu ▶ Copy to Directory ▶ OK ▶ ... confirm number with OK ▶ ... where necessary add name ▶ OK

Additional functions

Alarm clock

An alarm call is signalled on the display and with the selected volume and melody (> page 23) for a maximum of 60 seconds. During a call, the alarm is only indicated by a short tone.



Date and time are set (> page 7).

Activating the alarm clock

Menu ▶ Alarm Clock ▶ OK ▶ Activation ▶ OK (☑ = activated) ▶ ... select the wake-up time in hours and minutes with ∰ ▶ OK (✓ Saved)

When the alarm clock is activated, the icon and the wake-up time is displayed in idle display.

Deactivating the alarm clock

▶ Menu ▶ Alarm Clock ▶ OK ▶ Activation ▶ OK (☐ = deactivated)

Setting the wake-up time

Menu ▶ Alarm Clock ▶ OK ▶ ② Wake up time ▶ OK ▶ Time: ▶ ... enter the wake-up time in hours and minutes with ¾ ▶ OK (✓ Saved)

Deactivating alarm/snooze mode



An alarm call sounds.

- · Deactivate until the next alarm call:
- Snooze mode:

- Press Off
- ▶ Press **Snooze** or press any key ... the alarm call will be deactivated and repeated 5 minutes later



- If no key is pressed, the alarm call deactivates itself after 60 seconds and is repeated 5 minutes later.
- After the second repetition, the alarm call is deactivated for 24 hours.

ECO DECT (9)

The device range is set to maximum as default. This guarantees optimum wireless management. The handset will not function in idle status, as it is not transmitting (**No Radiation**). Only the base will maintain contact with the handset via a low wireless signal. During a call, the transmission power automatically adapts to the distance between the base and handset. The smaller the distance to the base, the lower the radiation.

To reduce the radiation further:

Reducing radiation by up to 80%

Menu ▶ ② Settings ▶ OK ▶ ② System ▶ OK ▶ ② ECO DECT ▶ OK ▶ ③ Max. Range ▶ OK (□ = deactivated)



- · The range is also reduced with this setting.
- A repeater to increase the range cannot be used.

Deactivating radiation in idle status

Menu ▶ ⑤ Settings ▶ OK ▶ ⑤ System ▶ OK ▶ ECO DECT ▶ OK ▶ No Radiation ▶ OK (= deactivated)



- To benefit from the advantages of the setting No Radiation, all registered handsets must support
 this feature
- If the setting No Radiation is activated and a handset is registered to the base that does not support this feature, No Radiation is automatically deactivated. As soon as this handset is deregistered, No Radiation will automatically be re-activated.
- The wireless connection will only be established for an incoming or outgoing call and the connection will be delayed by about 2 seconds.
- So that a handset can establish a wireless connection with the base more quickly for an incoming
 call, it must "listen" to the base more often, i.e. scan the environment. This increases power usage
 and reduces the standby and talktime of the handset.
- When No Radiation is activated, there will be no range display/range alarm on the handset.
 Contactability can be tested by attempting to establish a connection.
 - ▶ Hold down the Talk key <a> . . . the ringing tone sounds.
- For additional information, see the website www.gigaset.com.

Expanding the functionality of the telephone

Multiple handsets

Upgrade the telephone to a cordless PABX.

Information regarding additional handsets can be found at www.gigaset.com.

Compatibility

The main functions of device combinations between base and different handsets are available at: www.qigaset.com/compatibility

Registering

A total of up to four handsets can be registered to the base.



- Handset registration must be initiated on the base and on the handset.
- Both must be carried out within 60 secs.

(→ page 1) ...

and on the A540 handset: ▶ Menu ▶ 🖨 Settings ▶ OK ▶ 🖨 Registration ▶ OK ▶ Register

Handset ▶ OK ▶ ... enter system PIN if necessary (default setting: 0000) ▶ OK

The connection to the base is established; this may take some time.



- The handsets are automatically assigned names "INT 1", "INT 2" etc. Each handset will automatically
 be assigned the lowest unassigned number (1-4). Successful registration is shown on the display.
- If four handsets are already registered to the base (all internal numbers assigned), the handset with
 the internal number 4 will be replaced with the new one. If this is not possible, because a
 conversation is being held on this handset for example, the message No free Internal Number is
 given. In this case, another handset that is no longer required should be de-registered and the
 registration process should be repeated.
- For other Gigaset handsets and handsets with GAP functionality: register the handset in accordance with the relevant user guide.

De-registering

Menu ▶ ♠ Settings ▶ OK ▶ ♠ Registration ▶ OK ▶ ♠ De-register Handset ▶ OK ... the handset used is selected ▶ ... select another handset if necessary with ♠ ▶ OK ▶ ... if necessary enter the system PIN (default setting: 0000) ▶ OK ▶ (✓ Saved)

Locating a handset ("Paging")

▶ Briefly press the registration/paging key on the base (→ page 1) ... all handsets ring at the same time ("paging"), even if the ringtone is deactivated

Ending the search

On the base: ▶ Press the registration/paging key again **briefly**on the handset: ▶ Press the Talk key 🗗 or End call key 🗟



After approx. 3 minutes, the paging call will end automatically.

Making internal calls

Calling a specific handset

▶ Briefly press 🗇 ... the list of handsets opens ▶ ... select the handset with 🖨 ▶ ... press the Talk key 🔼

Calling all handsets (group call)

- ▶ Hold down 🗊
- or ▶ Briefly press ① ... the list of handsets is opened ▶ ... select Call All with ۞ ▶ press the Talk key ☑



- · Internal calls to other handsets are free of charge.
- · Your own handset is not displayed.
- If only one other handset is registered, this handset is called immediately.

Internal consultation/internal transfer

You receive a call from an **external** participant and would like to transfer the call to an **internal** participant or wish to consult him/her.

▶ ② ... list of handsets is opened ▶ ... select a specific handset or Call All ▶ Press OK or press the Talk key <a>[...

Holding a consultation call

Returning to the external call: Back

Transferring an external call

Before and after the called participant answers: ▶ Press the End call key 🕤



If the called participant does not answer or does not want to accept the call:

▶ End the consultation call with Back

Listening in to an external call

An internal participant can listen in to an external call and take part in the conversation (conference).



The function **Listening in** is activated:

Menu ▶ ♠ Settings ▶ OK ▶ ♠ Telephony ▶ OK ▶ ♠ Listening in ▶ OK (♥ = activated)

▶ Hold down the Talk key <a>[4] ... all participants hear a signal tone

Ending listening in

▶ Press the End call key 💿 ... all participants hear a signal tone

Repeater

A Gigaset repeater increases the receiving range between the Gigaset handset and the base.

Setting up the repeater

ECO DECT settings: ▶ Activate Max. Range (→ page 19)

and ▶ Deactivate No Radiation (→ page 19)

and activating the repeater on the handset:

▶ Menu ▶ (♣) Settings ▶ OK ▶ (♣) System ▶ OK ▶ (♣) Repeater ▶
 OK ▶ Change setting? ▶ OK (♥ = activated)

and registering the repeater to the base:

▶ Hold down the registration/paging key (min. 3 sec.) (→ page 1) ▶ ... Connect the repeater power adapter to a power socket ... the repeater is automatically registered to the base. The repeater LEDs will indicate whether registration was successful or unsuccessful.

For additional information, see the website www.gigaset.com/gigasetrepeater.

Operation with router

When operating on the analogue connection of a router, potentially occurring **echoes** can be reduced by activating **XES mode**¹.

Menu ▶ ♠ Settings ▶ OK ▶ ♠ System ▶ OK ▶ ♠ XES Mode ▶ OK (☑ = activated)



If there are no problems with echoes, the XES mode should be deactivated (default setting).

Operating a PABX

Some settings are usually required for operation behind a PABX; see PABX user guide.

▶ Menu ▶ ★○#→○□5∞#→... the number 9 appears on the display ▶ ... with M select:

• Diall	ing mode:	1 w 8 tw	▶ O. = tone dialling (DTMF) ▶ OK	or	▶ 1 = pulse dialling (PD) ▶ OK
• Flash	time:	▶ 1 ∞ 0 ∪	▶ 0 = 80 ms ▶ OK	or	▶ 1 = 100 ms ▶ OK
		or	▶ 2sc = 120 ms ▶ OK	or	▶ ③ or = 400 ms ▶ OK
		or	▶ 4 os = 250 ms ▶ OK	or	▶ 5 = 300 ms ▶ OK
		or	▶ 6 = 600 ms ▶ OK	or	▶ 7 _{rest} = 800 ms ▶ OK
• Paus	e after line seizure:	▶ 1 ∞ 6 mo	▶ 1 sec ▶ OK	or	▶ 2 sec ▶ OK
		or	▶ 3 or = 7 sec ▶ OK		
• Paus	e after Recall key:	▶ 1 ∞ 2 ASC	▶ 1 = 800 ms ▶ OK	or	▶ 2 _{ssc} = 1600 ▶ OK
		or	▶ 3 or = 3200 ms ▶ OK		



The number of the current setting flashes.

Entering a dialling pause when dialling

▶ Hold down the redial key 🖪 ... a P appears on the display

Switching temporarily from pulse dialling (PD) to tone dialling (DTMF)

After dialling the external number or after establishing the connection:

▶ Press the star key briefly *•

^{1.} XES stands for "eXtended Echo Suppression"

Adjusting the telephone settings

Display

Language

Different languages are available for the display.

▶ Menu ▶ 🖨 Settings ▶ OK ▶ 🖨 Language ▶ OK ▶ ... select language with 🖨 ▶ OK (🗹 = selected)

Screensaver

A digital clock can be set as a screensaver.

Menu ▶ ② Settings ▶ OK ▶ ② Display ▶ OK ▶ Screensaver ▶ OK ▶ ... select No Screensaver / Digital Clock with ② ▶ OK (☑ = selected)



Changing from screensaver to idle display: ▶ briefly press the End call key 🕤

Colour scheme

The display background can be set to 4 different colours.

Menu ▶ ⑤ Settings ▶ OK ▶ ⑤ Display ▶ OK ▶ ⑤ Colour Schemes ▶ OK ▶ ... select Col. Scheme 1...4 with ⑥ ▶ OK (ⓒ = selected)

Contrast

The display contrast can be set to 9 different levels.

Menu ▶ ② Settings ▶ OK ▶ ② Display ▶ OK ▶ ② Contrast ▶ OK ▶ ... select Level: 1...9 with ② ▶ OK (☑ = selected)

Handset ringtones

Basic ringtone setting.

Activate/deactivate ringtone **permanently**: ▶ **Hold** down the star key ★○



Deactivating the ringtone for the current call: Menu Silent OK

Ringtone volume

Menu ► ② Settings ► OK ► ② Audio Settings ► OK ► ② Ringer Volume ► OK ► ... set the ringtone volume with ② ► OK (✓ Saved)



The volume is the same for all types of signalling.

Ringtone melody

The ringtone melody can be set separately for external calls, internal calls and the alarm clock.

Menu ▶ 🖨 Settings ▶ OK ▶ 🖨 Audio Settings ▶ OK ▶ 🖨 Ringtones (Handset) ▶ OK

• Internal Calls: • Internal Calls • OK

· Alarm clock: ▶ 🖨 Alarm Clock ▶ OK

Base ringtones (Gigaset A540A only)

The melody and ringtone volume can be set on the base.

```
▶ Menu ▶ 🗘 Settings ▶ OK ▶ 🗘 Audio Settings ▶ OK ▶ 🗘 Ringtones(Base) ▶ OK ... then
```

- Call volume: ▶ Call volume ▶ OK ▶ ... set call volume with 🖨 ▶ OK (✓ Saved)

Advisory tones/battery warning tone

The handset notifies acoustically about different activities and statuses. The tones can be activated/deactivated independently of one another.

- ▶ Menu ▶ 🖨 Settings ▶ OK ▶ 🖨 Audio Settings ▶ OK ... then
- Advisory Tones:
 Battery Low:
 b ... select Advisory Tones with (□)
 b OK (□)
 a ctivated)
 b ... select Battery Low with (□)
 b OK (□)
 a ctivated)

Music on hold

Music on hold that is played to external callers during an internal consultation call and forwarding can be activated or deactivated.

Auto Answer

A call is accepted as soon as the handset is lifted from the charging cradle.

Menu ▶ ♠ Settings ▶ OK ▶ ♠ Telephony ▶ OK ▶ Auto Answer ▶ OK (☑ = activated)

Protection against unwanted calls

Time control for external calls

The telephone does not ring during a specified time period.

▶ Menu ▶ 🖨 Settings ▶ OK ▶ 🖨 Audio Settings ▶ OK ... then

- Handset:
 ♠ Ringtones (Handset)
 ▶ OK
 ▶ External Calls
 ▶ OK
 ♠ Time Control
 ▶ OK
 ♠ Activation
 ▶ OK
 ♠ activated)
 ... then
 - Set or edit the time period: ▶ 🖨 Settings ▶ OK ▶ Ringer off from ... enter start ▶
- OK ▶ Ringer off until ... enter end ▶ OK (✓ Saved)
- Base (A540A only): ▶ ♠ Ringtones(Base) ▶ OK ▶ ♠ Time Control ▶ OK ▶ Activation ▶ OK (♥ = activated)

▶ Off until ... enter end ▶ OK (✓ Saved)

- ... then

 Set or edit the time period: ▶ ⑤ Settings ▶ OK ▶ Off from ... enter start ▶ OK
- During this period, the handset will continue to ring for numbers to which a VIP ringtone is assigned in the phonebook.

Anonymous call silencing

The handset does not ring for anonymous calls (the caller has actively withheld Calling Line Identification).

Menu ▶ ♠ Settings ▶ OK ▶ ♠ Audio Settings ▶ OK ▶ ♠ Ringtones (Handset) ▶ OK ▶ External Calls ▶ OK ▶ ♠ Anonymous Calls Silent ▶ OK (√ = activated)



- The setting only applies to handset for which the setting is configured.
- The call is only signalled on the display.

System PIN

Changing the system PIN

Menu ▶ ② Settings ▶ OK ▶ ② System ▶ OK ▶ ② System PIN ▶ OK ▶ ... enter the current system PIN with ¾ (default setting: 0000) ▶ OK ▶ ... enter new system PIN with ¾ (4 digits; 0 - 9) ▶ OK

Resetting the system PIN

The system PIN can be reset to 0000 at any time, if the PIN has been lost.



- · All base settings are reset!
- All handsets are de-registered!
- ▶ Remove the power cable from the base ▶ Hold down the registration/paging key on the base and simultaneously reconnect the power cable to the base ▶ Hold down the registration/paging key for at least another 5 seconds

Telephone reset

The base and handset settings can be reset independently of one another.

▶ Menu ▶ ② Settings ▶ OK ▶ ② System ▶ OK ▶ ② Reset Handset/Base Reset ▶ OK ▶ ... Answer the security question with OK



- · When resetting the handset (Reset Handset), audio and display settings will be deleted.
- When resetting the base (Base Reset) ECO DECT, answer machine and system settings are reset and call lists/answer machine lists are deleted.

The following are **not** affected:

- · Date / time.
- · Registration of handsets to the base and the current selection of the base,
- System PIN,
- · Entries in phonebook,
- Redial list.

Manufacturer's advice

Service (Customer Care)

Step by step towards your solution with Gigaset Customer Care www.qigaset.com/service



Visit our Customer Care pages:

www.gigaset.com/service

Here you will find:

- · Frequently asked questions
- · Free software and user manual downloads
- Compatibility checks



Contact our Customer Care staff:

Couldn't find a solution in the FAQs section? We are happy to help...

... by eMail: www.gigaset.com/contact

... by telephone:

United Kingdom

www.gigaset.com/uk/service

Service Hotline: 020 369 53111

Ireland

www.gigaset.com/ie/service

Service Hotline: 0818 200 033 (national rate call) Please have your proof of purchase ready when calling.

Please note that if the Gigaset product is not sold by authorised dealers in the national territory the product may not be fully compatible with the national telephone network. It is clearly specified on the box near the CE mark for which country/countries the equipment has been developed. If the equipment is used in a manner inconsistent with this advice or with the instructions of the manual and on the product itself, this may have implications on the conditions for warranty or quarantee claims (repair or exchange of product).

In order to make use of the warranty, the product purchaser is asked to submit a receipt which proves the date of purchase (date from which the warranty period starts) and the type of goods that have been purchased.

Questions and answers

Suggested solutions are available on our website at www.gigaset.com/service

The table below also lists steps for troubleshooting. The display is blank.

- The battery is empty: ▶ Charge the battery or replace it (→ page 6).
- The key and display lock is activated: ▶ Hold down the hash key #--

"Base" flashes on the display.

- The handset is outside the range of the base: Move the handset closer to the base.
- The base is not switched on: Check the base power adapter.
- The base's range has decreased because Max. Range is deactivated: ▶ Activate Max. Range (→ page 19) or ▶ reduce the distance from handset to base.

"Register handset" or "Place handset into base" flashes on the display.

The handset has not yet been registered or was de-registered due to the registration of an additional handset (more than 4 DECT registrations); ▶ Register the handset again (→ page 7, → page 20).

The handset does not ring.

- The ringtone is deactivated: ▶ Activate ringtone (→ page 23).
- The phone does not ring if the caller has withheld his/her number: ▶ Activate the ringtone for anonymous calls (→ page 25).
- The telephone does not ring during a specific time period: Check the time control for external calls
 page 24).

No ringtone/dial tone from the fixed line network.

The telephone cable supplied has not been used or has been replaced by a new cable with the wrong pin
connections: ▶ Please always use the telephone cord supplied or ensure that the pin connections are
correct when purchasing from a retailer (→ page 32).

The connection always terminates after approx. 30 seconds.

A repeater (earlier than version 2.0) has been activated or deactivated (→ page 21): ➤ Switch the handset off and back on again (→ page 8).

Error tone sounds after system PIN prompt.

 The system PIN you have entered is incorrect: ▶ Repeat the procedure, reset the system PIN to 0000 if necessary (→ page 25).

Forgotten system PIN.

Reset the system PIN to 0000 (→ page 25).

The other caller cannot hear you.

• The handset is "muted": ▶ Reactivate the microphone (→ page 11).

The caller's number is not displayed.

- Calling Line Identification (CLI) is not approved for the caller: Caller should ask the network provider to
 enable Calling Line Identification (CLI).
- Calling Line Identification Presentation (CLIP) is not supported or approved by the network provider:
 Caller display (CLIP) must be enabled by the network provider.
- The telephone is connected via a PABX or a router with an integrated PABX (gateway) that does not transmit all information:
 - ▶ Reset the system: Briefly pull out the power plug. Reinsert the plug and wait until the device restarts.
 - ▶ Check the settings on the PABX and activate telephone number display, if necessary. To do this, search for terms such as CLIP, calling line identification, telephone number identification, caller ID, etc. in the user guide of the system or ask the system manufacturer.

Error tone with keypad entries.

Action has failed/invalid input: Repeat the procedure ... Read the display and refer to the user guide if necessary.

The messages on the network mailbox cannot be listened.

The PABX is set to pulse dialling: ▶ Set the PABX to tone dialling (→ page 22).

Answer machine (Gigaset A540A only):

No time is specified for a message in the call list.

• Date/time is not set: ▶ Set date/time (→ page 7).

The answer machine reports "Invalid PIN" during remote operation.

- You have entered the wrong system PIN: PRepeat input of system PIN.
- System PIN is still set to 0000: ▶ Set system PIN to something different to 0000 (→ page 25).

The answer machine is not recording messages.

- · The memory is full:
 - Delete old messages.
 - ▶ Play back new messages and delete.

Authorisation

This device is intended for analogue phone lines in the UK and on the Irish network.

Country-specific requirements have been taken into consideration.

We, Gigaset Communications GmbH, declare that this device meets the essential requirements and other relevant regulations laid down in Directive 1999/5/EC.

The EC declaration of your country according to 1999/5/EC can be found at: www.gigaset.com/docs.

This declaration could also be available in the "International Declarations of Conformity" or "European Declarations of Conformity" files.

Therefore please check all of these files.

(€ 0682

Guarantee Certificate United Kingdom

Without prejudice to any claim the user (customer) may have in relation to the dealer or retailer, the customer shall be granted a manufacturer's Guarantee under the conditions set out below:

- In the case of new devices and their components exhibiting defects resulting from manufacturing and/or material faults within 24 months of purchase, Gigaset Communications shall, at its own option and free of charge, either replace the device with another device reflecting the current state of the art, or repair the said device. In respect of parts subject to wear and tear (including but not limited to, batteries, keypads, casing), this warranty shall be valid for six months from the date of purchase.
- This Guarantee shall be invalid if the device defect is attributable to improper treatment and/or failure to comply with information contained in the user guides.
- This Guarantee shall not apply to or extend to services performed by the authorised dealer or the customer themselves (e. g. installation, configuration, software downloads). User guides and any software supplied on a separate data medium shall be excluded from the Guarantee.
- The purchase receipt, together with the date of purchase, shall be required as evidence for invoking the Guarantee. Claims under the Guarantee must be submitted within two months of the Guarantee default becoming evident.
- Ownership of devices or components replaced by and returned to Gigaset Communications shall vest in Gigaset Communications.
- This Guarantee shall apply to new devices purchased in the European Union. For Products sold in the
 United Kingdom the Guarantee is issued by: Gigaset Communications UK Limited, 2 White Friars, Chester,
 CH1 1NZ.
- Any other claims resulting out of or in connection with the device shall be excluded from this Guarantee.
 Nothing in this Guarantee shall attempt to limit or exclude a Customers Statutory Rights, nor the manufacturer's liability for death or personal injury resulting from its negligence.

- The duration of the Guarantee shall not be extended by services rendered under the terms of the Guarantee
- Insofar as no Guarantee default exists, Gigaset Communications reserves the right to charge the customer for replacement or repair.
- The above provisions does not imply a change in the burden of proof to the detriment of the customer.

To invoke this Guarantee, please contact the Gigaset Communications telephone service. The relevant number is to be found in the accompanying user guide.

Guarantee Certificate Ireland

Without prejudice to any claim the user (customer) may have in relation to the dealer or retailer, the customer shall be granted a manufacturer's Guarantee under the conditions set out below:

- In the case of new devices and their components exhibiting defects resulting from manufacturing and/or
 material faults within 24 months of purchase, Gigaset Communications shall, at its own option and free of
 charge, either replace the device with another device reflecting the current state of the art, or repair the
 said device. In respect of parts subject to wear and tear (including but not limited to, batteries, keypads, casing), this warranty shall be valid for six months from the date of purchase.
- This Guarantee shall be invalid if the device defect is attributable to improper care or use and/or failure to comply with information contained in the user manuals. In particular claims under the Guarantee cannot be made if:
- The device is opened (this is classed as third party intervention)
- Repairs or other work done by persons not authorised by Gigaset Communications.
- · Components on the printed circuit board are manipulated
- · The software is manipulated
- Defects or damage caused by dropping, breaking, lightning or ingress of moisture. This also applies if
 defects or damage was caused by mechanical, chemical, radio interference or thermal factors (e.g.: microwave, sauna etc.)
- · Devices fitted with accessories not authorised by Gigaset Communications
- This Guarantee shall not apply to or extend to services performed by the authorised dealer or the customer themselves (e.g. installation, configuration, software downloads). User manuals and any software supplied on a separate data medium shall be excluded from the Guarantee.
- The purchase receipt, together with the date of purchase, shall be required as evidence for invoking the Guarantee. Claims under the Guarantee must be submitted within two months of the Guarantee default becoming evident.
- Ownership of devices or components replaced by and returned to Gigaset Communications shall vest in Gigaset Communications.
- This Guarantee shall apply to new devices purchased in the European Union. For Products sold in the Republic of Ireland the Guarantee is issued by Gigaset Communications UK Limited, 2 White Friars, Chester, CH1 1N7
- Any other claims resulting out of or in connection with the device shall be excluded from this Guarantee.
 Nothing in this Guarantee shall attempt to limit or exclude a Customers Statutory Rights, nor the manufacturer's liability for death or personal injury resulting from its negligence.
- The duration of the Guarantee shall not be extended by services rendered under the terms of the Guarantee
- Insofar as no Guarantee default exists, Gigaset Communications reserves the right to charge the customer for replacement or repair.
- The above provisions does not imply a change in the burden of proof to the detriment of the customer.

To invoke this Guarantee, please contact the Gigaset Communications helpdesk. This number is also to be found in the accompanying user guide.

Environment

Our environmental statement

We at Gigaset Communications GmbH are aware of our social responsibility. That is why we actively take steps to create a better world. In all areas of our business – from product planning and production to sales and waste of disposal – following our environmental conscience in everything we do is of utmost importance to us.

Learn more about our earth-friendly products and processes online at www.gigaset.com.

Environmental management system



 $Gigaset \, Communications \, GmbH \, is \, certified \, pursuant \, to \, the \, international \, standards \, ISO \, 14001 \, and \, ISO \, 9001.$

ISO 14001 (Environment): Certified since September 2007 by TÜV SÜD Management Service

ISO 9001 (Quality): Certified since 17/02/1994 by TÜV SÜD Management Service GmbH.

Disposal

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority.

All electrical and electronic products should be disposed of separately from the municipal waste stream via designated collection facilities appointed by the government or the local authorities.



This crossed-out wheeled bin symbol on the product means the product is covered by the European Directive 2002/96/EC.

The correct disposal and separate collection of your old appliance will help prevent potential negative consequences for the environment and human health. It is a precondition for reuse and recycling of used electrical and electronic equipment.

For more detailed information about disposal of your old appliance, please contact your local council refuse centre or the original supplier of the product.

Appendix

Care

Wipe the device with a **damp** cloth or an antistatic cloth. Do not use solvents or microfibre cloths.

Never use a dry cloth; this can cause static.

In rare cases, contact with chemical substances can cause changes to the device's exterior. Due to the wide variety of chemical products available on the market, it was not possible to test all substances.

Impairments in high-gloss finishes can be carefully removed using display polishes for mobile phones.

Contact with liquid



If the device comes into contact with liquid:

- 1. Disconnect the power supply.
- 2. Remove the batteries and leave the battery compartment open.
- 3. Allow the liquid to drain from the device.
- 4. Pat all parts dry.
- 5. Place the device in a dry, warm place **for at least 72 hours** (**not** in a microwave, oven etc.) with the battery compartment open and the keypad facing down (if applicable).
- 6. Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Technical data

Batteries

Technology: 2 x AAA NiMH Voltage: 1.2 V Capacity: 400 mAh

Handset operating times/charging times

The operating time of the telephone depends on the capacity of the battery, its age and the way it is used. (All times are maximum possible times).

Standby time (hours) *	200 * / 110 **
Talktime (hours)	18
Operating time for 1.5 hours of calls per day (hours) *	90 * / 65 **
Charging time in base (hours)	4
Charging time in charging cradle (hours)	4

^{*} No Radiation deactivated, without display backlight in idle status

Base power consumption

A540	A540A
A540	A540A

In standby mode


Handset in charging cradle
 Handset outside charging cradle
 During a call
 approx. 0.6 W approx. 0.55 W approx. 0.65 W
approx. 0.65 W approx. 0.75 W

General specifications

Supported
Supported
60 duplex channels
1880-1900 MHz
Time division multiplexing, 10 ms frame length
100 Hz
370 μs
1728 kHz
1152 kbit/s
GFSK
32 kbit/s
10 mW average power per channel, 250 mW pulse power
Up to 50 m indoors, up to 300 m outdoors
230 V ~/50 Hz
+5°C to +45°C, 20% to 75% relative humidity
DTMF (tone dialling)/PD (pulse dialling)

^{**} No Radiation activated, without display backlight in idle status

Pin connections on the telephone jack



Character charts

Standard characters Press the relevant key the number of times indicated.

	1x	2x	3x	4x	5x	6x	7x	8x	9x	10x	11x	12x	13x	14x	15x
1 ∞	1	£	\$	¥	¤										
2 AKC	a	b	С	2	ä	á	à	â	ã	ç					
3 007	d	e	f	3	ë	é	è	ê							
4 cm	g	h	i	4	ï	í	ì	î							
5 🙉	j	k	ı	5											
6 мло	m	n	0	6	ö	ñ	ó	Ò	ô	õ					
7 ross	р	q	r	S	7	ß									
8 TUV	t	u	٧	8	ü	ú	ù	û							
9 _{wxxz}	W	х	у	Z	9	ÿ	ý	æ	Ø	å					
0~	Ĵ		,	?	!	0	+	-	:	į	i	"	'	;	_
* ₽	*	/	()	<	=	>	%							
#			#	@	\	&	§								

¹⁾ Space

Display icons


The following icons are displayed depending on the settings and the operating status of the telephone.


Icons in the status bar

Icon	Meaning
	Signal strength (No Radiation is deactivated)
↑ to ↑¹))	1% to 100%
(P)	No connection to the base
P	No Radiation is activated.
ο _ο	Answer machine activated (A540A only) flashes: Answer machine is recording a message or is being operated by another internal participant

Icon	Meaning
¥	Ringtone deactivated
0-7	Keypad lock activated
to	Battery charge status: charged under 11% to over 66%
	flashes: battery almost empty (approx. 5 minutes talktime remaining)
∮ □ to	Battery is charging Current charge status: 0% to 100%

Display icons for signalling of ...





Other display icons

Icon	Meaning
i	Information
?	(Security) prompt
0	Please wait

lcon	Meaning
✓	Action complete
X	Action failed

	Calling
Index	external
	internal
Λ	Calling Line Identification
A	Care30
Activating	Care of the device
answer machine	Changing
answer machine (remote operation) 13	display language 7
Activating/deactivating message LED 15	ringtone
Activating/deactivating microphone (handset) . 11	Changing the PIN
Address book, see Phonebook	Character charts
Advisory tones	Charge status of the batteries33
Alarm clock	Charging cradle
Announcement (answer machine) 14	connecting 6
Anonymous	Charging time of handset
Anonymous call silencing	Colour scheme
Answer machine	Connecting the base
activating/deactivating 1, 12	to the PABX20
deleting individual messages	to the router20
playing back messages	Consultation call internally
remote operation	Contact with liquid
setting up	Contents of the package 5
settings	Control key
Answer machine list	Copying
Authorisation 28	entire phonebook to handset18
Auto Answer	phonebook entry to handset
Automatic network provider selection 11	Correcting incorrect entries 9
, , , , , , , , , , , , , , , , , , ,	Customer Care
В	customer care
-	
Base	D
changing system PIN 25	Deactivating
connecting to power/telephone network 5	answer machine
restoring to default setting 25	Deactivating wireless module19
setting the ringtone	Default setting25
Battery	Deleting
charging6	announcement for answer machine
charging status	De-registering (handset)
inserting6	Dialling
Battery warning tone 24	from the call list
Broken display4	using quick dial17
	using the phonebook 9
C	using the redial list
Call	Dialling mode22
accepting	Display
accepting automatically	activating/deactivating new message15
external	broken
internal	changing display language 7
	colour scheme
participant listening in	network mailbox message14, 15
picking up from answer machine	number (CLI/CLIP)
j , , , , , , , , , , , , , , , , , , ,	screensaver
Call lists	Display icons
Call protection	Display keys
Call screening during recording	display keys
(answer machine)	Disposal30
Caller melody	DTMF (tone dialling)

E	I
Earpiece volume	Icons
Echo	alarm clock
ECO DECT	displaying new messages
Emergency numbers	status bar33
not possible 4	Idle status, returning to 9
End call key	Internal
Environment	listening in
External	making calls21
External calls	Internal call
time control for ringtone 24	Internal consultation call
transferring internally (connecting)21	
	K
F	Key 1 (fast access)
Factory settings	Keys
	control key
G	display keys
	end call key
Getting started	fast access
Guarantee Certificate	hash key 1
11	message key 1
Н	quick dial
Handset	recall key
advisory tones 24	star key
colour scheme	talk key
connecting the charging cradle6	<u> </u>
de-registering the handset 20	L
display language7	
earpiece volume	list
idle status9	accepted calls16
muting11	answer machine
paging	call lists
registering 7, 20	missed calls
registering another handset 20	outgoing calls
restoring to default setting 25	List entry
screensaver	Listening in to an external call
searching for	Locking/unlocking the keypad
setting	Loss of hearing
setting up6	Loss of ficulting
speaker volume	ΛΛ
switching on/off 8	M
using multiple20	Making calls
Handset reset	accepting a call10
Handsfree mode	external
Handsfree volume	internal
Hash key	Medical equipment4
Hearing	Melody
prevent loss of	ringtone for internal/external calls
Hearing aids	Message key
Help	Message lists
	opening15
	Microphone
	Missed call
	Music on hold
	Muting the handset

Index

N Network mailbox	Restoring to default setting
Numbers entering	Ringtones
0	
Operating time of handset	Safety precautions 4
P	Screensaver
PABX	Searching
connecting the base 20	handset
setting dialling mode22	in phonebook
setting flash time	Selecting an entry from the phonebook
switching to tone dialling	Setting
Phonebook	telephone
copying number from text 18	Setting flash time (PABX)
saving an entry	Setting the date
sending entry/list to handset	Setting the time /
sending to handset	handset
Playing back	Setting up, answer machine
announcement (answer machine)14	Signal strength
message (answer machine) 12	Signal tone, see Advisory tones Snooze mode (alarm)19
message (network mailbox)	Sound, see Ringtone
Playing back messages (answer machine) 1, 12 Playing back messages (network mailbox) 14	Speaker
Power adapter4	Star key
Power consumption31	Status bar1
Preselection	icons
Protection against calls	changing25
0	resetting25
Questions and answers	T
R	Talk key
Radiation	Technical data
reducing19	operating8
Range5	restoring to default setting25
Recall key	setting
Recording time (answer machine) 14	Telephone jack, pin connections32 Time control
Redial list	ringtone for external calls
Registering (handset)	Tone dialling (DTMF)
Remote operation of the answer machine 13	Transferring an external call internally21
Repeater	Troubleshooting

U
Unknown 10 Upper/lower case 9
V
VIP ringtone
handset handsfree/earpiece volume
W
Warning tone, see Advisory tones
X
XES mode

Issued by Gigaset Communications GmbH Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2014 Subject to availability. All rights reserved. **Rights of modification reserved.** www.qigaset.com



A31008-M2601-L101-1-7619