

OpenScape DECT Phone SL6 on Cordless Office

User Guide

A31003-D1000-U110-01-7619

Provide feedback to further optimize this document to edoku@atos.net.

As reseller please address further presales related questions to the responsible presales organization at Unify or at your distributor. For specific technical inquiries you may use the support knowledgebase, raise - if a software support contract is in place - a ticket via our partner portal or contact your distributor.

Our Quality and Environmental Management Systems are implemented according to the requirements of the ISO9001 and ISO14001 standards and are certified by an external certification company.

Copyright © Unify GmbH & Co. KG 03/2021 All rights reserved.

Reference No.: A31003-D1000-U110-01-7619

The information provided in this document contains merely general descriptions or characteristics of performance which in case of actual use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract.

Availability and technical specifications are subject to change without notice.

Unify, OpenScape, OpenStage and HiPath are registered trademarks of Unify GmbH & Co. KG. All other company, brand, product and service names are trademarks or registered trademarks of their respective holders.



unify.com

Contents

Overview	6
Safety precautions	8
Getting started	9
Setting the display language	10
Using the telephone	12
Getting to know your telephone	
Making calls	
Call lists	17
Message lists	
Directory	
Network mailbox	
Additional functions	
Sound profiles	
Calendar	
Timer	
Alarm clock Protection against unwanted calls.	
Resource Directory	
Bluetooth	
Additional functions using the PC interface.	29
Setting the handset	30
Appendix	35
Manufacturer's advice	35
Technical data	36
Display icons	
System functions	39
Calling functions via the menu	
Calling functions via codes	40
Functions and codes	41

Making calls to multiple parties	43
Consultation	43
Call waiting	44
Override	47
Placing a call on hold	47
Transferring a call	
Toggling (switching between calls)	
Conducting a conference	50
Using the second call feature	52
Central directories (group directory)	53
System phonebook	
Telephone database (LDAP).	
System speed dialing	
System speed dialing, individual	
Team functions	60
Activating/deactivating group calls	60
Group ringing	62
UCD (Universal Call Distribution)	63
Mulap group (Multiple Line Application)	66
Message functions	68
Leaving a message/advisory message	68
Sending/calling text messages	
Answering a message or voicemail message	
More features	
Callback	
Answering or rejecting a call	
Picking up a call in a call pickup group	
Forwarding calls	
Directed assignment of an MSN (multiple subscriber number).	
Making calls using identification codes	
Using the handset as a second line	
C C	
Deactivating the phone number display	
Directed call transfer	
Activating/deactivating do not disturb	
Call charge display	
Tracing a call	

Entrance telephone	. 79
Activating control relays	. 81
External call forwarding with a multiple subscribe number	. 82
Using night service	. 83
Using DTMF dialing.	. 84
Parking/activating calls	. 85
System appointment function	. 86
Telephone lock code programming	. 87
Locking/unlocking the handset	. 88
Index	89

1 _ 2 11) INT 1 Calls Calendar - 3 15 — - 4 14 — 6 ____ ' - 5 13 — 2 авс 3 DEF 12 — 11 — 4 сні 5 јкі 6 мно 8 тич 9 wxyz 10 -گ 0 - 6 8 - 7 9 –

Overview

1 2	Display Status bar		
	Icons display current settings and operating status of the telephone		
3	Display keys		
	Various functions, depending on the operating situation		
4	Message key		
	Access to the call and message	lists;	
	Flashes: new message or new of	all	
5	End call key / On/off key		
	End call; cancel function; Go back one menu level		
	Return to idle status	 Press briefly Press and 	
		hold	
	Switch the handset on/off	Press and	
,	(in idle status)	hold	
6	Hash key / Lock key Lock/unlock the keypad	Press and	
	(in idle status)	hold	
	Toggle between upper/	Press briefly	
	lower case and digits (when inputting text)		
	Insert a dialling pause	Press and	
	51	hold	
7	Microphone		
8	Recall key Consultation call (flash)	Press and	
	Consultation can (nash)	hold	
9	USB connection socket		
10	For data exchange between the	e handset and PC	
10	Star key Enable/disable the ringtone	Press and	
		hold	
	Open special characters table (when inputting text)	Press briefly	
	Switch from pulse dialling to	Press briefly	
	tone dialling (for an existing	,,	
	connection)		
	Headset connection (3.5 mm jack)		
12	Key 1		
	Select network mailbox	Press and	
13	Talk key / Handsfree key	hold	
	Accept call; dial number display	ved: switch	
	between receiver and handsfre		
	Open the redial list	Press briefly	
	Start dialling	Press and hold	
14	Profile key		
	Switch between acoustic	Press briefly	
	profiles (when phone is idle) Turn on/off the microphone	Press briefly	
	(during a call)		
	Set the microphone sensitivity		
	(during a call and when the phone is idle)	hold	
15	Control key / Menu key		
	Open a menu; navigate in menu		
	access functions (depending or	n the situation)	

6

Illustration in the user guide

	Warnings, which if not heeded, can result in injury to persons or damage to devices.
0	Important information regarding function and appropriate handling or functions that could generate costs.
	Prerequisite for being able to carry out the following action.

 (\mathbf{i}) Additional helpful information.

Keys

r 🖍	Talk key	🖍 or 📢	Handsfree key
	End call key	0 E to 9	Number / letter keys
	Control key rim / centre		Message key
R	Recall key	*	Star key
#>	Hash key	(1)	Profile key
OK, Back, Select, Change, Save,		Display keys	

Procedures

Example: Switching Auto answer on/off
 ▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Auto Answer ▶ Change (= activated)

Symbols	Meaning
	When in idle status press the centre of the control key. The main menu opens.
 ▶ € ↓ ▶ OK 	Navigate to the 👩 icon using the control key 😭 Select OK to confirm. The submenu Settings opens.
TelephonyOK	Select the Telephony entry using the control key 💽 Select OK to confirm. The submenu Telephony opens.
Auto Answer	The function to switch Auto answer on/off appears as the first menu item.
Change	Select Change to activate or deactivate. Function is activated 🗹 /deactivated 🔳.

Safety precautions

! i	Read the safety precautions and the user guide before use.
\wedge	The device cannot be used in the event of a power failure. In case of a power failure i is also not possible to make emergency calls .
	Emergency numbers cannot be dialled if the keypad/display lock is activated!
ß	Use only rechargeable batteries that correspond to the specification (see list of permitted batteries \rightarrow <u>www.wiki.unify.com /wiki/DECT_Mobilteile</u>). Never use a conventional (non-rechargeable) battery or other battery types as this could result ir significant health risks and personal injury. Rechargeable batteries, which are notice ably damaged, must be replaced.
	The handset must not be operated if the battery cover is open.
⚠	Ensure that the batteries can not be short-circuited by objects in the battery compart ment
(4)	Do not use the devices in environments with a potential explosion hazard (e.g. paint shops).
X	The devices are not splashproof. For this reason do not install them in a damp environ ment such as bathrooms or shower rooms.
ৰাক	Use only the power adapter indicated on the device.
P	Whilst charging, the power socket must be easily accessible.
1	Remove faulty devices from use or have them repaired by our Service team, as these could interfere with other wireless services.
	Do not use the device if the display is cracked or broken. Broken glass or plastic can cause injury to hands and face. Send the device to our Service department to be repaired.
۹.	Keep small cells and batteries, which can be swallowed, out of the reach of children. Swallowing a battery can lead to burns, perforation of soft tissue and death. Severe burns can occur within 2 hours of swallowing. In the case of a swallowed cell or battery, seek medical care immediately.
♥	Using your telephone may affect nearby medical equipment. Be aware of the tech- nical conditions in your particular environment, e.g. doctor's surgery. If you use a medical device (e.g. a pacemaker), please contact the device manufacturer. They wil be able to advise you regarding the susceptibility of the device to external sources o high frequency energy (for the specifications of your product see "Technical data").
i	If a USB adapter cable is included, only use a USB power supply (5Volt) with USB-A connection. The use of other voltage sources e.g. PC's with USB connection can cause damage.

If a plug-in power supply is included, please use this power supply.

Getting started

Contents of the package

- One handset
- One battery cover (rear cover for the handset)
- One battery
- One belt clip
- One user guide

The charging cradle is designed for use in closed, dry rooms within a temperature range of $+5^{\circ}$ C to $+45^{\circ}$ C.

Never expose the telephone to heat sources, direct sunlight or other electrical devices.

Protect your telephone from moisture, dust, corrosive liquids and vapours.

The device's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on furniture, contact marks on the surfaces cannot be completely ruled out.

This device is only suitable for a maximum installation height of 2 m.

Connecting the charging cradle

- Connect the flat plug of the power adapter 1.
- Plug the mains unit into your power socket 2.

To remove the plug from the charging cradle again:

- Disconnect the power adapter from the mains power supply.
- Press the release button 3.
- Pull out the plug 4.


Setting up the handset for use

The display is protected by a plastic film. > Please remove the protective film!

Inserting the battery




Only use a rechargeable battery, as this could otherwise result in significant health risks and personal injury. For example, the outer casing of the battery could be destroyed or the battery could explode. The device could also malfunction or be damaged as a result of using batteries that are not of the recommended type.



- Insert battery with the contact side pointing down 1.
- Press the battery down until it clicks into place 2.



- Orientate the battery cover with the side tabs fitting into the slots on the inside of the casing 3.
- > Press the cover until it clicks into place.



Re-opening the battery cover



- Remove the belt clip (if attached).
- > Place your fingernail in the notch underneath the battery cover and pull the battery cover up 1.



To change the battery, place your fingernail in the recess in the housing and pull the battery up 2.

Charge the battery

Charge the battery fully prior to first use in the charging cradle or using a standard USB mains adapter.

The battery is fully charged when the power icon **5** disappears from the display.






- The battery may heat up during charging. This is not dangerous.
- After a time, the charge capacity of the battery will decrease for technical reasons.

As soon as power is applied to the handset, a Setup wizard starts.

Setting the display language

Press the control key 🚺 until the language required is selected on the ► display, e.g. English > press the display key OK



You can also change the display language later on in the Settings menu.

Registering a handset

A handset can be registered to up to four base stations. The registration process depends on the base station.

► ... Use 🔁 to select 💽 Settings 🕨 OK 🕨 😭 Registration 🕨 OK 🕨 Register Handset > OK > T Select a base (if the handset is already registered with one or more bases) 🕨 OK 🕨 🏧 Enter the 8-digit registration PIN 🕨 OK

Once registration is complete, the handset returns to idle mode.

Setting the date and time

Set the date/time so that the correct date and time can be assigned to incoming calls and to enable the alarm to be used.

Press the display key Time

or, if the date and time have already been set:



Date/Tim	e
Date:	
Time:	
00:00	
Back	Save

OK

🖿 🕨 . . . use 💽 to select 👩 Settings 🕨 OK 🕨 Date/Time 🕨

The active cursor position flashes ... change cursor position with 🕞 🕨 ... switch between cursor positions with

Enter date:

... using denter the day, month and year in 8-digit format.

Enter time:

... using enter hours and minutes in 4-digit format.

Save settings:

Press the display key Save. ... Saved is shown in the display and a confir-mation tone sounds.

Return to idle status:



Press and hold the End call key

The telephone is now ready for use.

Attaching the belt clip

The handset has notches on each side for attaching the belt clip.

- Attaching the belt clip:
 Press the belt clip onto the back of the handset so that the tabs on the belt clip click into place in the notches.
- Removing the belt clip: ▶ Press the centre of the belt clip firmly with your right thumb. ▶ Push the nail of your left thumb up between the clip and the casing. ▶ Slide the clip upwards to remove.

Connecting the headset

Connect the headset with 3.5 mm jack to the left side of the handset 1.

or

Connect headset via Bluetooth



Connecting the USB data cable

For data exchange between the handset and PC:

Connect the USB data cable with micro-USB plug into the USB socket at the bottom of the handset 1.



Connect the handset **directly** to the PC, **not** via a USB hub.



1



Using the telephone

Getting to know your telephone

Switch the handset on/off

Switch on: • When the handset is switched off, press and hold the End call key 🕤

Switch off: • When the handset is in idle status, press and hold the End call key 👩

Lock/unlock the keypad

The keypad lock prevents any accidental use of the telephone.

Lock/unlock the keypad:
 The stand hold Press and hold

Keypad lock activated: the following symbol appears

PIN-protected keypad lock

Once you have assigned a PIN (not 0000) to the handset, you must enter this PIN to cancel the keypad lock.



If a call is indicated on the handset, the keypad automatically unlocks and you can accept the call. It then locks again when the call is finished.

Control key



The control key enables you to navigate the menus and input fields, and also to call up certain functions depending on the situation.

In the description below, the side of the control key (up, down, right, left) that you have to press in the different operating situations is marked in black, e. g. ress right on the control key" or for "press the centre of the control key".

When the phone is idle

Open the main menu Open the directory Open the list of handsets Set the voice volume for receiver / handsfree function

In submenus, selection and entry fields

Confirm a function Navigate a line up/down Select an option, move the cursor to the left/right

During a call

Open the directory Mute the microphone Initiating an internal consultation call Change the voice volume for receiver / handsfree function







Display keys

The display keys perform a range of functions depending on the operating situation.



Display key icons - p. 38

Menu guidance

The functions of your telephone are displayed in a menu that consists of several levels.

Selecting/confirming functions

Confirm selection using

One menu level back using

Change to idle status

Switch function on/off using

Activate/deactivate option using



Main menu

In idle status: > Press the centre of the control key > ... use the control key to select a submenu > OK

The main menu functions are shown in the display as icons. The icon for the selected function is highlighted in colour and the name of the associated function appears in the display header.



Submenus

The functions in the submenus are displayed as lists.

To access a function: \blacktriangleright \ldots use the control key \fbox to select a function \blacktriangleright OK

Return to the previous menu level:

Press the display key Back

or

i

Press the End call key briefly

Returning to idle status

Press and hold the End call key

If a key is not pressed, after 2 minutes the display will **automatically** change to idle status.



Entering text

Input position

i

- Use to select an entry field. A field is activated when the cursor is blinking inside it.
- ▶ Use to move the position of the cursor.

Correcting incorrect entries

- Delete characters to the left of the cursor: > <C Press briefly
- Delete words to the left of the cursor: **C** Press and **hold**

Entering letters/characters

Multiple letters and numbers are assigned to each key between 2 and 9 and the $0 \\ B$ key. As soon as a key is pressed, the possible characters are displayed at the bottom of the display. The selected character is highlighted.

Example	
New Entry	
First Name:	
Robert	
Surname:	
Tel.1 - Type:	
~	Abc
< C	Save

- Selecting letters/numbers: > Press the key briefly several times in succession
- Switch between lower case, upper case and number entry mode: ▶ Press the hash key #...
 When editing a directory entry, the first letter and each letter following a space is automatically in upper case.
- Entering special characters: ▶ Press the star key 💌 ▶ ... use 😭 to navigate to the desired character ▶ Insert

) The availability of special characters depends on the language setting.

Making calls

Making calls

- ... use to enter the number briefly press the Talk key 🕜 ►
- or
- Press and hold the Talk key > ... use to enter the number

Cancel dialling:
Press the End call key



If the display backlight is deactivated, you can reactivate it by pressing any key. Digit keys that are pressed appear in the display for pre-dialling, other keys have no further function.

Dialling from the directory

... use to open the directory ... use to select an entry press the Talk key

If multiple numbers are entered:

... use 🕞 to select a number 🕨 press the Talk key 🌈 ... the number is dialled

•	For fast
1)	keys.

access (quick dial): Assign numbers from the directory to the digit or display

Dialling from the redial list

The redial list contains the 20 numbers last dialled with the handset.

▶ Briefly press the Talk key 🕜 ... the redial list is opened ▶ ... use 🛅 to select an entry ▶ press the Talk key 🕜

If a name is displayed:

▶ View . . . the number is displayed ▶ . . . use 🕞 to browse numbers if necessary ▶ . . . when the desired number is reached press the Talk key 🔽

Managing entries in the redial list

▶ Briefly press the Talk key 🕜 the redial list is opened ▶ ... use 😭 to select an entry ▶ Options ... possible options:


Copy an entry to the directory:

Copy to Directory Solution

Copy the number to the display:

▶ T Display number ▶ OK ▶ ... use < C to amend or add numbers if necessary . . . use **> v** to save as a new entry in the directorv

Delete the selected entry:



- Delete List Delete List Set automatic line seizure:
 - Automatic Redial > OK ... the dialled number is automati-cally dialled at fixed intervals (at least every 20 secs). The handsfree key flashes, "open listening" is activated. The participant answers: > Press the Talk key ... the function

is terminated The participant does not answer: The call is interrupted after around 30 secs. The function is terminated after pressing any key

or after ten unsuccessful attempts.

Dialling from the call list

The call lists (\rightarrow p. 17) contain the most recent accepted, outgoing and missed calls.

■ ▶ ... use 🔁 to select 📶 Call Lists ▶ OK ▶ ... use 😭 to select a list ▶ OK ▶ ... use 😭 to select an entry 🕨 Press the Talk key 🌈



▶

The call lists can be displayed directly by pressing the display key Calls if the relevant function has been assigned to the display key.

The Missed calls list can also be opened by pressing the Message key **S**.

Enter a dial pause when dialling

▶ Press and hold the hash **#** - key. A P is shown on the display

Incoming calls

An incoming call is indicated by ringing, by a display on the screen and by the flashing Talk / Handsfree key (/ .

Accept a call:

- Press the Talk key or Accept
- If Auto Answer is activated: > Remove the handset from the charging cradle
- Accept a call on the headset

Switch off ringtone: > Silence ... the call can be accepted for as long as it is shown on the display

Information about the caller



The caller's phone number is displayed.

If the caller's number is saved in the local directory, the name is displayed.

During a conversation

Handsfree mode

Activating/deactivating handsfree mode during a call and when establishing a connection:

Press the handsfree key

Placing the handset in the charging cradle during a call:

Press and hold down the handsfree key
 ... Place the handset in the charging cradle
 ... hold
 for a further 2 seconds

The setting is automatically saved after around 3 seconds, even if Save is not pressed.

Call volume

Applies for the mode currently being used (handsfree, receiver or headset):

- Press Press > ... use to set the volume Save
- (**i**

Muting the microphone

When the microphone is switched off, callers will no longer hear you.

Switch the microphone on/off during a call:
Press

or: **Briefly** press the Profile key)

Adjust the microphone sensitivity

Adjust the microphone sensitivity for the receiver or wired headset.

► ... Use To select Audio Settings ► OK ► TO Mic Sensitivity ► OK ► Use To select Earpiece / Corded headset ► Use To set the sensitivity ► Save

Set the acoustic profile to loud surroundings:

Press and hold the) button button Use to set the sensitivity Save

Call lists The telephone saves different types of calls (missed, accepted and outgoing calls) in lists. Enable/disable local call lists Press buttons * #-0 5 2 #-0 ... then For enabling: ▶ 1 == (# +=) For disabling: ▶ 0 B (#~) List entry The following information is displayed in the list entries:: Example The list type (in the header) All calls Icon for the type of entry: 🖞 Frank C Missed calls, Today, 15:40 Accepted calls, 0 6 089563795 C Outgoing calls (redial list) 13.05.21, 18:32 Caller's number. If the number is stored in the directory, the name and 💪 🖿 Susan Black number type (Phone (Home), M Phone (Office), Phone (Mobile)) 12.05.21, 13:12 are shown instead. In the event of missed calls, the number of missed calls from this number is also shown in square brackets. View Options Date and time of call (if set) Opening the call list Via the display key: ► Calls ► 🔄 select the list ► OK Via the menu: ▶ 🔲 ▶ ... use 💽 to select 🜈 Call Lists ▶ OK ▶ 💽 select the list **•** OK Via the Message key (missed calls): Press the Message key Missed Calls: OK Calling back a caller from the call list Image: A select in the select is the select in the select entry is the select entry Press the Talk key 7 Additional options ■ ► ... use to select Call Lists ► OK ► Select list ► OK ... possible options: View an entry: Select entry View Number into directory: select entry > Options > Copy to Directory > OK Number into black list: Select entry > Options > Copy to Blacklist > OK Delete an entry: select entry > Options > Delete entry > OK Delete list: Options > Delete List > OK > Yes

Message lists

Notifications about missed calls, messages on the network mailbox and missed alarms are saved in the messages list and can be shown on the handset display.

As soon as a new message arrives, an advisory tone will sound. The Message key 💽 also flashes (if activated).

Icons for message types and the number of new messages are shown on the Example idle display.

Notification for the following message types is available:

oo on the network mailbox

in the missed calls list

in the missed alarms list The icon for the network mailbox is always displayed,

İ

i



provided the number is stored in the telephone. The other lists are only displayed if they contain messages.

07:15 INT 1 14 Oct 12 90 C 08 10 02 Calls Calendar

Û

Display messages:	Example		
Press the Message key 2 Messages lists that contain messages are displayed, Mailbox: is always displayed	e Messages & C	Messages & Calls	
An entry is marked in bold : new messages are available. The number of	Missed Appts:	(2)	
new messages is shown in brackets.	Missed Calls:	(5)	
An entry is not marked in bold: no new messages. The number of old messages is shown in brackets.	Mailbox:	(1)	
Select a list > OK the calls or messages are listed			
Network mailbox: The network mailbox number is dialled.			
	Back	OK	


The message list contains an entry for every answer machine assigned to the handset,

e.g. for a network mailbox.

Activating/deactivating Message key flashing

Receipt of new messages is displayed by a flashing message key on the handset. This type of alert can be activated/deactivated for each message type.

In idle status:



return to idle display without making changes: Back

Directory

The local directory is unique to the handset. However, it is possible to send entries to other handsets.

Opening the directory

• Briefly press 💭 in idle status

or

■ ► ... use 💽 to select 🔰 Directory ► OK

Directory entries

Number of entries:	up to 500
Information:	First name and surname, up to three telephone numbers, e-mail address, anniversary with alert, VIP ringtone with VIP icon, CLIP- picture
Length of the entries:	Numbers: max. 32 digits First name, surname: max. 16 characters E-mail address: max. 64 characters

Creating an entry

▶ 💭 ▶ 🚔 <New Entry> ▶ OK ▶ ... use 😭 to switch between the entry fields

Name:

use to enter the first and/or last name	First Name:	
Numbers:	Robert	
Tel.1 - Type use to select a number type (Home,	Surname:	
Office or Mobile) 🕨 戻 🕨 use 👫 to enter a number	-/1\	
Enter more numbers: 🕨 use 😭 to toggle between the entry fields	Tel.1 - Type:	
Tel.1 - Type/Tel.2 - Type/Tel.3 - Type 🕨 use 👫 to enter a number		A
ave entry: Save	<	Sa
\sim	· C	

Example

New Entry

i The entry is only valid if it contains at least one number.

Searching for/selecting a directory entry

▶ 🔲 ▶ ... use 🚺 to browse searched names

or

Save en

💭 🕨 . . . use 🏧 to enter initial letters (max. 8 letters) . . . the display jumps to the first name starting ▶ with these initial letters ... use 😭 to continue browsing to the desired entry, if needed

Scroll through directory:
Press and hold

Displaying/changing an entry

- ▶ □ ▶ ... use → to select entry ▶ View ▶ ... use → to select the field to be changed ▶ Edit or
- ▶ 💭 ▶ ... use 😭 to select an entry ▶ Options ▶ Edit entry ▶ OK

Deleting entries

Delete the selected entry	y:	
	•	■ ► use To select an entry ► Options ► To Delete entry ► OK
Delete all entries:	۲	↓ Options ▶ → Delete all ▶ OK ▶ Yes

Setting the order of the directory entries

Directory entries can be sorted by first name or surname.

Options) Sort by Surname / Sort by First Name

If no name was entered, the default telephone number is shown in the surname field. These entries appear at the beginning of the list, regardless of how the entries are sorted.

The sort order is as follows:

Space | Digits (0-9) | Letters (alphabetically) | Other characters.

Displaying the number of entries available in the directory

Options Available Memory OK

Copying number to the directory

Copy numbers to the directory:

• From a list e.g. the call list or the redial listWhen dialling a number

The number is displayed or highlighted.

- Press the display key or Options (Copy to Directory) OK ... possible options: Create a new entry:
 - ▶ <New Entry> \blacktriangleright OK \blacktriangleright ... use to select number type \blacktriangleright OK \blacktriangleright complete entry \triangleright Save Add number to an existing entry:
 - ... use to select an entry > OK > ... use to select number type > OK ... the number is entered or a prompt to overwrite an existing number is displayed > ... if required, answer the prompt with Yes/No > Save

Copying an entry/directory



The sending and receiving handset must both be registered to the same base station. The other handset and the base station are able to send and receive directory entries.



Only the date is transferred for an anniversary.

Both handsets support vCards:

- No entry with the name is available: a new entry is created.
- An entry with the name is already available: The entry is expanded to include the new numbers. If the entry contains more numbers than allowed by the recipient handset, a second entry is created with the same name.

The recipient handset does not support vCards:

A separate entry is created and sent for each number.

The sending handset does not support vCards:

A new entry is created on the receiving handset and the transferred number is added to the **Phone (Home)** field. If an entry with this number already exists, the copied number is discarded.

Copying individual entries

► ... use to select the desired entry ► Options ► Copy entry ► OK ► To Internal ► OK ► ... use to select the receiving handset ► OK ... the entry is copied

Copy the next entry after successful transfer: > Press Yes or No

Copying the entire directory

▶ Options ▶ Copy all ▶ OK ▶ To Internal ▶ OK ▶ ... use to select the receiving handset ▶ OK ... the entries are copied one after the other

Copying a vCard using Bluetooth

Copy directory entries in vCard format, e.g. to exchange entries with a mobile phone.



- Bluetooth mode is activated The other handset/mobile phone supports Bluetooth.
- Use to select an entry if needed > Options > Copy entry / Copy all >
 vCard via Bluetooth ... the Known Devices list is displayed > ... use to select device > OK

Receiving a vCard using Bluetooth

If a device in the **Known Devices** list sends a vCard to your handset, a directory entry is automatically created and a message is shown in the display.

If the sending device is not in the list: • ... use **Mat** to enter the PIN of the **sending** Bluetooth device **• OK** ... the copied vCard is available as a directory entry

Synchronising the phonebook with the PC address book (Gigaset QuickSync)



The Gigaset QuickSync programme has been installed on the computer.

The handset is connected via Bluetooth or via a USB data cable to the computer.

Network mailbox

Enter number

- - ... use not to enter or amend the network mailbox number Save



To activate/deactivate the network mailbox use the phone number and a function code of your network provider. Please contact the network provider if you require any further information.

Playing back messages

Press and hold 1 and

or

Press the Message key Network Mailbox OK

or

Listen to announcement out loud: Press the handsfree key

Additional functions

Sound profiles

The telephone has sound profiles for adapting the handset to the environmental conditions: Profile Loud, Profile Silent, Profile Personal.

- Press the Profile key)... The profile currently set is shown
- Switch between profiles using key)

or

- Use to select a profile > OK
- Set the microphone sensitivity to loud surroundings:
- Press and hold the profile key)

The profiles are set as follows by default:

Default setting		Profile Loud	Profile Silent	Profile Personal	
Silent alert		On	Same as	Off	
			Profile Personal		
Ringtone		On	Off	On	
Ringtone volume	Internal	5	Off	5	
	External	5	Off	5	
Handset volume	Receiver	5	3	3	
	Handsfree	5	3	3	
Advisory tones	Key click	Yes	No	Yes	
	Battery tone	Yes	Yes	Yes	
	Confirmation tone	Yes	No	Yes	

Activate alert tone for an incoming call for **Profile Silent**: After switching to **Profile Silent** press the display key **Beep** . . . the icon appears in the status bar

The set profile remains set when switching the phone off and back on.

- Changes to the settings listed in the table:
- apply in the Loud and Silent profiles as long as the profile is not changed.
- are permanently saved in Profile Personal for this profile.

Calendar

i

You can remind yourself of up to 30 appointments.

In the calendar, the current day is outlined in white; on days with appointments, the numbers are displayed in colour. When a day is selected, it will be outlined in colour.

		Jur	ie 2	021		
Мо	Tu	We	Th	Fr	Sa	Su
				01	02	03
04	05	06	07	08	09	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	
Back OK						

Saving appointments to the calendar



Date and time have been set.

■ ▶ use to select or ganizer ▶ OK ▶ Calendar ▶ OK ▶ use to select desired day ▶ OK then
Switch on/off: Activation: use To select On or Off
Enter information for the appointment:
use to successively select Date, Time, Text and Signal
use 🎮 or 🍋 to set the relevant value 🕨 Save
If an appointment has already been entered: information for the appointment.


Notification of appointments/anniversaries

Anniversaries are transferred from the directory and displayed as an appointment. An appointment/ anniversary is displayed in idle status and the selected ringtone plays for 60 seconds as a notification. Acknowledge and stop the reminder: Press the display key **OFF**



During a call, a reminder is indicated on the handset **once** with an advisory tone on the handset.

Displaying/changing/deleting stored appointments



Timer

Setting the timer (countdown)

■ ▶ ... use to select or organizer ▶ OK ▶ Timer ▶ OK ▶ ... then Enable/disable: ▶ Activation: ... use To select On or Off

Enable/disable:
Activation: ... use to select On or Off
Set the duration:
Duration ... use to enter the hours ar

Duration ... use to enter the hours and minutes for the timer

Min.: 00:01 (one minute); Max.: 23:59 (23 hours, 59 minutes)

Save the timer: Save

The timer starts the countdown. In the idle display, icon 🕥 and the remaining hours and minutes are displayed until one minute is left. From this point, the remaining seconds are counted down. At the end of the countdown, the alarm is triggered.

Disabling/repeating the alarm

Switch off the alarm: • OFF

- Repeat the alarm:
- Restart ... the timer display is displayed again > set another duration as required > Save ... the countdown is restarted

Alarm clock



Date and time have been set.

Activating/deactivating the alarm clock and setting the wake-up time

- Image: Alarm Clock > OK ... then Switch on/off: Enter alarm data:
 - ▶ Activation: ... use to select On or Off
 - ... use 🔲 to successively select Time, Occurrence, Volume and Melody 🕨 ... use 👫 or 🏹 to set the relevant value 🕨 Save

When the alarm clock is activated, the icon 🕘 and the wake-up time are displayed in idle display.

Alarm

An alarm is shown on the display and indicated by the selected ringtone melody. The alarm sounds for 60 seconds. If no key is pressed, the alarm is repeated after 5 minutes. After the second repetition, the alarm call is deactivated for 24 hours.



During a call, the alarm is only indicated by a short tone.

Switching off/repeating the alarm after an interval (snooze mode)

Deactivate the alarm: > OFF

Repeat the alarm (snooze mode): Press Snooze or any key ... the alarm is switched off and repeated after 5 minutes.

Protection against unwanted calls

Time control for external calls



Date and time have been set.

Enter a time period during which the handset should suspend ringing to indicate external calls e.g. during the night.

- ► ... use 💽 to select 🔽 Audio Settings ト OK ト ■ Ringtones (Handset) ► OK ► ■ Time Control ► **OK** ... then
 - Switch on/off: use to select On or Off • use to switch between Suspend Enter time: ring. from and Suspend ring. until >

4-digit format

Example



Save:

i

The time control only applies to the handset for which the setting is configured.

... use 🛺 to enter start and end in

The telephone will continue to ring for numbers that have been assigned to a VIP group in the directory.

Switch off ringtone when in charging cradle

Save

The handset will not ring when placed in the charging cradle. The call is only indicated on the display.

■ ▶ ... use 😭 to select 📢 Audio Settings ▶ OK ▶ 😭 Ringtones (Handset) ▶ OK ▶ Silent Charging > Change (= ringtone is switched off when in charging cradle)

Resource Directory

Sounds for ringtones and images that can be used as caller pictures (CLIP pictures) or as a screensaver are saved in the handset's resource directory. A range of monophonic and polyphonic sounds and pictures have been pre-set but further images and sounds can be downloaded using a PC (→ Gigaset QuickSync).

Media types:

Туре		Format
Sound	Ringtones Monophonic Polyphonic Imported sounds	Internal Internal Internal WMA, MP3, WAV
Picture	CLIP-picture Screensaver	BMP, JPG, GIF 240 x 172 pixels 240 x 320 pixels

If insufficient memory is available, you must delete one or more pictures or sounds before others can be saved.

Managing images (for screensaver and CLIP) and sounds

■ ► use to s	sele	ect 🌄 Additional Features 🕨 OK 🕨 😭 Resource Directory 🕨 OK
View image:	•	Select Screensavers / Caller Pictures > OK > use to select picture > View the selected picture is displayed
Play sound:	•	Select Sounds > OK > use to select sound the selected sound is played
		Set volume: Options Volume OK use to select volume Save
Rename picture/soun	d:	
	•	Select Screensavers / Caller Pictures / Sounds > OK > use to select sound/image > Options > Rename > use C to delete name, use to enter new name > Save the entry is saved with the new name
Delete picture/sound	:	
		Select Screensavers / Caller Pictures / Sounds > OK > use to select sound/picture > Options > Delete entry the selected entry is deleted
The relevant opt	ion	is are not available if a picture/sound cannot be deleted.

Check memory

Display the available memory for screensavers and CLIP-pictures.

► ... use to select Additional Features ► OK ► The Resource Directory ► OK ► The Capacity ► OK ... the percentage of available memory is displayed

Bluetooth

The handset is able to use Bluetooth[™] to communicate wirelessly with other devices that also use this technology, e.g. to connect a Bluetooth headset or hearing aid.



Bluetooth is activated and the devices have been registered to the handset.

The following devices can be connected:

• A Bluetooth headset or hearing aid



The headset / hearing aid has the **Headset** or **Handsfree profile**. If both profiles are available, the handsfree profile is used to communicate.

It may take 5 seconds to establish a connection to the headset, whether a call is accepted using the headset or transferred to the headset, or a call is made from the headset.

• Up to 5 data devices (PCs, tablets or mobile phones) for the transmission of address book entries as a vCard or for the exchange of data with the computer.

In order for telephone numbers to be used further, the area code (international and local area code) must be saved to the telephone.

Operating Bluetooth devices -> device user guides

Activating/deactivating Bluetooth mode

► ... use to select Bluetooth ► OK ► Activation ► Change (= activated)

If the local area code is still not saved: 🕨 ... use Market to enter local area code 🕨 OK

When in idle status, the activated Bluetooth mode is indicated on the handset by the 🖇 icon.

Registering Bluetooth devices

The distance between the handset in Bluetooth mode and the active Bluetooth device (headset or data device) should not exceed 10 m.

The registration of a headset overwrites a previously registered headset.

If a headset is to be registered that is already registered with a different device, this connection must be deactivated before registering.

- Image: Search for Headset / Search Devices > OK ... the search starts (may take up to 30 seconds) ... the names of found devices are displayed ... possible options:
 - Register device: ► Options ► Trust Device ► OK ► ... use I to enter the PIN of the Bluetooth device to be registered ► OK ... the device is added to the list of known devices

Showing information:

		use 🚺 to select a device, if applicable 🕨 View the device
		name and device address are displayed
Repeat search:	►	Options Repeat Search OK
Cancel search:		Cancel

Editing the list of known (trusted) devices

Open the list

i

► In select Bluetooth ► OK ► The Known Devices ► OK ... the known devices are listed, an icon indicates the type of device

Bluetooth headset

Bluetooth data device

If a device is connected, the relevant icon is shown in the display header instead of 🐉

Edit an entry

•	to select entry possible	ct 💽 Bluetooth ▶ OK ▶ 😭 Known Devices ▶ OK ▶use 💭 e options:
	View an entry:	View the device name and device address are displayed Press OK to go back
	De-registering a device:	
	•	Options 🕨 Delete entry 🕨 OK
	Edit name:	Options Edit Name OK use The to edit name Save
	If an active Bluetoon registered device".	h device is de-registered, it may try to re-connect as a "non-
Re	ejecting/accepting a	non-registered Bluetooth device

If a Bluetooth device that is not registered in the list of known devices tries to connect to the handset, a prompt will appear asking you to enter the PIN of the Bluetooth device (Bonding).

Reject: Accept:

Briefly press the End call key ... use to enter the PIN of the Bluetooth device to be accepted **OK .**.. Wait for PIN confirmation ... then Add the device to the list of known devices: > Yes

use the device temporarily: **No** ... the Bluetooth connection can be used, as long as the device is located within transmission range or until it is switched off

Changing the Bluetooth name of the handset

The handset is shown by this name on another Bluetooth device.

the device address are shown > Change > ... use The to change the name > Save

Additional functions using the PC interface



The Gigaset QuickSync program has been installed on the computer.

QuickSync functions:

- Sync the handset's directory with Microsoft® Outlook®
- Upload CLIP-pictures (.bmp) from the computer to the handset
- Upload pictures (.bmp) as screensavers from the computer to the handset
- Upload sounds (ringtone melodies) from the computer to the handset
- Update firmware
- Cloud synchronisation with Google™

• Connecting the handset to the computer via Bluetooth or via a USB data cable.



Connect the handset **directly** to the PC and **not** via a USB hub.

Transferring data



- Data transfer using Bluetooth:
 - The computer has Bluetooth capability.

A USB data cable is not plugged in. If a USB data cable is plugged in during an existing Bluetooth connection, the Bluetooth connection is interrupted.

Launch the Gigaset QuickSync program on the computer.

The message **Data transfer in progress** is shown on the display during data transfer between the handset and PC. During this time, it is not possible to enter any data using the keypad and incoming calls are ignored.

Carrying out a firmware update

- Connect the telephone and the PC using a USB data cable Launch Gigaset QuickSync Establish connection to the handset
- Start firmware update in Gigaset QuickSync... Information about this can be found in Gigaset Quick-Sync help feature

The update process may take up to 10 minutes (not including download time).

The data are first downloaded from the online update server. The time required for this depends on Internet connection speed.

The display on your telephone is switched off, the Message key 💌 and the Talk key 🌈 flash.

Once the update is complete, your telephone will automatically restart.

Procedure in the event of an error

If the update procedure fails or the telephone no longer functions properly after the update, repeat the update procedure:

- End the Gigaset QuickSync program on the PC > Remove the USB data cable from the telephone > Remove the battery > Re-insert the battery
- Carry out the firmware update again as described above

If the update procedure fails more than once or it is no longer possible to connect to the PC, carry out the **Emergency Update**:

- End the Gigaset QuickSync program on the PC
 Remove the USB data cable from the telephone
 Remove the battery
- Press and hold keys 4 and 6 at the same time with the forefinger and middle finger
 Replace the battery
- Release keys 4 and 6 ... the Message key and the Talk key will flash alternately
- Carry out the firmware update as described above



Always save pictures and sounds uploaded onto the handset on the PC, as they are deleted during an **Emergency Update**.

Setting the handset

Changing the language

Image Settings OK Settings OK And Constraints and Constrain

If the handset has been set to an incomprehensible language:

Press the keys 9 5 slowly one after the other ... use to select the correct language press the right display key

Select country (if available)

Select the country where you are using the phone. Your selection is used for country-specific defaults, such as the international country code.

► OK ► ... Use to select Settings ► OK ► Telephony ► OK ► Country ► OK ► ... Use to select the country ► Select (O = selected)

Display and keypad

Screensaver

A digital or analogue clock and a range of pictures can be selected to be displayed as a screensaver when in idle status.

■ ► ... use to select Settings ► OK ► To Display & Keypad ► OK ► Screensaver ► Edit (M = on) ... then

Switch on/off:	►	Activation: use 🕞 to select On or Off
Select screensaver:		Selection use to select a screensaver (Digital Clock
		/ Analog Clock / <pictures> / Slideshow)</pictures>
View screensaver:	▶	View
Save selection:	►	Save

The screensaver is activated approx. 10 seconds after the display has changed to idle status.



All pictures from the **Screensaver** folder of the **Resource Directory** are available for selection.

End screensaver

Press the End call key briefly ... the display changes to idle status

Large font

Show text and icons in call lists and in the directory in a larger size in order to improve legibility. Only one entry is shown in the display and names are abbreviated if necessary.

► In the select Settings ► OK ► The Display & Keypad ► OK ► The Large Font ► Change (= on)

Colour scheme

You can choose from a range of colour combinations for the display.

► ... use to select Settings ► OK ► Display & Keypad ► OK ► Colour Schemes ► OK ► ... use to select the desired colour scheme ► Select (O = selected)

Display backlight

The display backlight always illuminates when the handset is taken out of the base station/charging cradle or when a key is pressed. Any **digit keys** that are pressed appear on the display for pre-dialling. Switch the display backlight on/off when in idle status:

► Use to select Settings ► OK ► Display & Keypad ► OK ► Display Backlight ► OK ► Use to select when the setting is applied (In Charger / Out of Charger / In Talk State) ► Select in each case with On or Off ► Save



The handset's standby time may be significantly reduced if the display backlight is switched on.

Keypad illumination

The keypad has 5 levels of brightness to choose from.

► ... use to select Settings ► OK ► Display & Keypad ► OK ► Key Illumination ► OK ► ... use to select Brightness (1 - 5) ► Save

Activating/deactivating automatic keypad lock

Automatically lock the keypad when the handset has been in idle status for around 15 seconds.

► ... use → to select → Settings → OK → → Display & Keypad → OK → → Auto Keypadlock → Change (= on)

Tones and signals

Call volume

You can set the volume of the earpiece, handsfree function and headset on 5 levels independently of each other.



Changes are only saved permanently in Profile Personal.

During a conversation

▶ ▲ Handset Volume ▶ ... use → to select volume ▶ Save ... the setting is saved

In idle status

Handset Volume > Use to select what the setting is to apply for (Earpiece / Speaker / Corded headset) > Use to select the volume > Save ... The setting is saved

or

Image: Second Section Secti

Automatic volume control



Crescendo is **not** set for the ringtone volume (-> p. 32).

The phone is able to automatically adjust the volume of the receiver and ringtone to the ambient volume. Here you can set the sensitivity with which the phone reacts to changes in noise level (Very High, High, Medium, Low, Very Low).

🔲 🕨 Use 🔁 to	sel	ect 🚺 Audio Settings 🕨 OK 🕨 💭 Smart Volume 🕨 OK 🕨
Earpiece Volume	/ R	ingtone Volume 🕨 Edit
Enable/disable:	►	Activation: Use 🕞 to select On or Off
Adjust the sensor:	►	Sensitivity > Use T to adjust the sensor sensitivity
Save:		Save

Headset - volume correction

Change the call volume for the wired headset. In addition to the standard settings for the call volumes, here you can compensate the audio setting characteristics of your headset.

► ... Use to select Audio Settings ► OK ► Corded Hdst Boost ► Use to set the volume ► Save

Microphone sensitivity

Adjust the sensitivity of the microphone for the receiver or wired headset. This gives you improved acoustics in loud environments and when there are echoes.

► Use to select Audio Settings ► OK ► Mic Sensitivity ► OK ► Use to select what the setting applies for (Earpiece / Corded headset) ► Use to adjust the sensitivity ► Save

Earpiece and handsfree profile

Select a profile for the **earpiece** and **handsfree mode** in order to adapt the telephone as much as possible to the surroundings. Check which is the most comfortable profile for you and your caller.

► ... use to select Audio Settings ► OK ► Acoustic Profiles ► Earpiece Profiles / Handsfree Profiles ► OK ► use to select profile ► Select (= selected)

Earpiece Profiles: High frequency or Low frequency (default setting) Handsfree Profiles: Standard (default setting) or Reduced Echo

Ringtones

Ringtone volume

Image: Audio Settings
 Charles (Handset)
 Construction of the set of the

Changes are only saved permanently in Profile

Example
Volume
For internal calls
and alarms:
<
accddd >
External Calls:
accddd >
Back Save

Ringtone melody

Personal.

i

Set different ringtones for internal and external calls.

► Image: Some of the image
Switching the ringtone on/off

Switching the ringtone off permanently

- Using the Star key:

 Press and hold the Star *

 key
- Using the Profile key: Use the Profile) key to set **Profile Silent**
- ... When the ringtone is disabled, the following is shown in the status bar:

Reactivating the ring tone

- Using the Star key: Press and hold the Star * 4 key
- Using the Profile key: Use the Profile () key to switch profile
- Switching the ringtone off for the current call
- ▶ Silence or press the End call key 🕝

Switching the alert tone (beep) on/off

Switch on an alert tone (beep) instead of the ringtone:

- Using the Star key:
 ▶ Press and hold the Star ★ a key ▶ Press Beep within 3 seconds

 Using the Profile key:
 ▶ Use the) key to select Profile Silent ▶ Press Beep within 3 seconds

 ... When the alert tone is enabled, the following is shown in the status bar:
 ▲
- Switching off the alert tone
- Using the Star key: Press and hold the Star * A key
- Using the Profile key: Use the Profile) key to switch profile

Switching the silent alert on/off

Incoming calls and other messages are indicated by a silent alert.

► ... use to select Audio Settings ► OK ► Silent Alert ► Change (= on)

Switching advisory tones on/off

The handset notifies acoustically about different activities and statuses. These advisory tones can be switched on/off independently of each other.

► ... use to select Audio Settings OK Advisory Tones OK ... then Tone when keys are pressed:

Key Tones: ... use to select On or Off Confirmation/error tone after making entries, advisory tone when a new message has been received:

► Confirmation ► ... use to select On or Off Warning tone when there are fewer than 10 minutes of talktime remaining (every 60 seconds):

g tone when the handset is moved out of range of the base station:
Out of Range: use R to select On or Off

-		
save	settinas:	

Auto answer

Warnir

When Auto answer is enabled, the handset accepts an incoming call as soon as it is removed from the charging cradle.

► ... use to select Settings ► OK ► Telephony ► OK ► Auto Answer ► Change (= activated)

Regardless of the **Auto Answer** setting, the connection ends as soon as you place the handset back in the charging cradle. Exception: Press and hold the handsfree key for a further 2 seconds while placing the handset in the charging cradle.

Fast access to numbers and functions

Save

Assigning a number to digit keys (quick dial)

It is possible to assign a **number from the directory** to the keys 0^{8} and 2^{1} to 9^{1} .



A number has not been assigned to the digit key.

Press and hold the digit key

or

▶ Briefly press the digit key ▶ Press the display key QuickDial

The directory opens.

► ... use to select an entry ► OK ► ... use to select a number if necessary ► OK ... the entry is saved to the digit key



If the entry in the directory is deleted later, this will not affect the assignment of the digit key.

Dialling a number

Press and hold the digit key ... the number is dialled immediately

or

Briefly press the digit key ... the number/name (possibly in abbreviated form) is shown on the left display key ... the number is dialled

Changing the digit key assignment

- Briefly press the digit key > Change ... the directory is opened ... possible options: Change the assignment:

Delete the assignment:

Clear Key

Assigning display keys / Changing assignments

The left and right display keys have a **function** preset by default when in idle mode. The key can be reassigned.

Press and hold the left or right display key in idle status ... the list of possible key assignments is opened > ... Use to select the function > OK ... The assignment of the display key is changed

Possible functions: Alarm Clock, Redial, Handset Directory . . . More functions are available in More Functions...

Starting a function

With the telephone in idle status: > Briefly press ... the assigned function is executed

Changing the handset PIN

The handset is protected against unauthorised use by a PIN. The handset PIN must be entered e.g. when switching off the keypad lock.

Change the handset's 4-digit PIN (default setting: 0000):

► ... use to select Settings ► OK ► System ► OK ► Handset PIN ► OK ► ... use to enter the current PIN ► OK ► ... use to enter the new handset PIN ► OK

Resetting a handset

Reset any individual settings and changes that you have made.

- ► In the select Settings ► OK ► System ► OK ► Handset Reset ► OK ► Yes ... the handset's settings are reset
 - The following settings are **not** affected by a reset
 - / Registration of the handset to the base station
 - Date and time

i

· Directory entries and call lists

Resetting the handset to the default settings

Reset all settings and personal information.

► ... Use to select Settings ► OK ► System ► OK ► Erase Handset ► OK ► Use Use It to enter the current PIN ► OK

All user information, lists, the directory and the handset registration with the base are erased. The Registration wizard is started.

Appendix

Manufacturer's advice

Care

Wipe the device with a **damp** cloth or an antistatic cloth. Do not use solvents or microfibre cloths. **Never** use a dry cloth; this can cause static.

In rare cases, contact with chemical substances can cause changes to the device's exterior. Due to the wide variety of chemical products available on the market, it was not possible to test all substances.

Impairments in high-gloss finishes can be carefully removed using display polishes for mobile phones.

Contact with liquid **A**

If the device comes into contact with liquid:

- 1 Disconnect the power supply.
- 2 Remove the batteries and leave the battery compartment open.
- 3 Allow the liquid to drain from the device.
- 4 Pat all parts dry.
- 5 Place the device in a dry, warm place for at least 72 hours (not in a microwave, oven etc.) with the battery compartment open and the keypad facing down (if applicable).
- 6 Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Technical data

Battery

Technology:	lithium ion (Li-Ion)
Voltage:	3.7 V
Capacity:	750 mAh

Handset operating times/charging times

The operating time of your Gigaset depends on the capacity of the battery, its age and the way it is used. (All times are maximum possible times.)

Standby time (hours)	300
Talktime (hours)	15
Operating time with 1.5 hours of calls per day (hours)	130
Charging time in charging cradle (hours)	2.5

Power consumption of the handset in the charging cradle

When charging:	approx. 4.00 W
To maintain the charge status:	approx. 0.30 W

General specifications

DECT standard	Supported
GAP standard	Supported
No. of channels	60 duplex channels
Radio frequency range	1880-1900 MHz
Duplex mode	Time division multiplexing, 10 ms frame length
Repetition frequency of the transmission pulse	100 Hz
Duration of the transmission pulse	370 µs
Channel grid	1728 kHz
Bit rate	1152 kbit/s
Modulation	GFSK
Language code	32 kbit/s
Transmission power	10 mW average power per channel, 250 mW pulse power
Range	Up to 50 m indoors, up to 300 m outdoors
Environmental conditions for operation	+5 °C to +45 °C; 20% to 75% relative humidity
Dialling mode	DTMF (tone dialling)/PD (pulse dialling)
Bluetooth	
Radio frequency range	2402-2480 MHz
Transmission power	4 mW pulse power

Power adapter

Manufacturer	Salom Electric (Xiamen) Co. Ltd.
	Commercial registration number: 91350200612003878C
	31 Building, Huli Industrial District,
	Xiamen, Fujian 361006, P.R. China
	Salcomp (Shenzen) Co. Ltd.
	Commercial registration number: 91440300618932635P
	Salcomp Road, Furond Industrial Area,
	Xinqiao, Shajing, Baoan District, Shenzen 518125 China
Model identifier	C733 / C734
Input voltage	230 V
Input AC frequency	50 Hz
Output voltage	5 V
Output current	0.4 A
Output power	2 W
Average active efficiency	> 71.6 %
Efficiency at low load (10%)	not relevant – only at output power > 10 W
No-load power consumption	< 0.10 W

Character charts

Standard characters

Press the relevant key the number of times indicated.

	1x	2x	3x	4x	5x	6x	7x	8x	9x	10x
1 🚥	1									
2	а	b	с	2	ä	á	à	â	ã	Ç
3	d	е	f	3	ë	é	è	ê		
4	g	h	i	4	ï	í	ì	î		
5	j	k	Т	5						
6	m	n	0	6	ö	ñ	ó	ò	Ô	Õ
7	р	q	r	s	7	ß				
8	t	u	v	8	ü	ú	ù	û		
9	w	х	у	z	9	ÿ	ý	æ	ø	å
0 8	1 T		,	?	!	↓ ²⁾	0			

Space
 Line break

Display icons

The following icons are displayed depending on the settings and the operating status of your telephone.

Icons in the status bar

lcon	Meaning
† †13	Signal strength (No Radiation off) 1% -100% white, if Maximum Range on; green, if Maximum Range off
$\langle \hat{\mathbf{p}} \rangle$	Red: no connection to the base station
٢	No Radiation activated: white, if Maximum Range on; green, if Maximum Range off
$\bar{\chi}$	Profile Silent activated (Ringtone switched off)
Į.	"Beep" ringtone activated
0	Keypad lock activated
*	Bluetooth enabled

lcon	Meaning	
Ð	Headset / hearing aid connected via Bluetooth	
⊊ _J	Data device connected via Bluetooth	
	Battery charge status: White: between 11% and 100% charged	
\square	Red: less than 11% charged	
	Flashes red: battery almost empty (approx. 5 minutes of talktime left)	
1	Battery is charging (current charge status):	
1	0% - 100%	


Display key icons

lcon	Meaning		
$\rightarrow \rightarrow$	Last number redial		
< C	Delete text		

lcon	Meaning
	Open the directory
+ M	Copy number to the directory

Display icons to indicate ...

lcon	Meaning
$\left((\bigwedge)\right)$	External call
((1)) Internal call	
$\ell \rightarrow$	Establishing a call (outgoing call)
Connection established	
No connection established/ connection terminated	



Other display icons

Icon Meaning	
 Alarm clock is activated, display with alarm time 	
Timer switched on, display with countdown	
Action complete (green)	
×	Action failed (red)

lcon	Meaning
i	Information
?	(Security) prompt
O	Please wait

System functions

The system functions can be called up via the menu or directly by entering codes.

Calling functions via the menu

Using the Service menu


The Service menu can be used both by means of the control key and the display keys.

	Function	Alternative usage			
	Open Service menu or One level higher	Left display key			
	One level lower During a call: Adjust call volume and	Right display key			
	open local phonebook				
	Scroll previous	-			
Ţ	Scroll next	-			
	Confirm your selection	-			
Operation using	g the control key is shown below.				
Press and hold down the Talk key.					
Open the syste	m menu.				
Select and confirm the function.					
Select the menu item and confirm.					
Select and confirm the function.					
Select the men	u item and confirm.				


Select the menu item and confirm.

Select the menu item and confirm.

Select and confirm the function.



Calling functions via codes



Enter code according to table \rightarrow page 41.

Either:

Or:

then:

--> **|| ||**

- Enter code according to table \rightarrow page 41.
- Press the End call key to end the operation.

Functions and codes



The following functions and codes are standard on the HiPath 3000 / OpenScape Business. However, they could also be changed in your system.Please consult your system administrator.

Functions	Cod	65
Automatic call wait.term.on	(* ^	
Automatic call wait.trm.off	<u>(*</u>) (#)	
Waiting tone off	(* ^)	
Waiting tone on	<u>^~</u> (# ⊷)	
Accept call waiting (camp-on)	(<u># · ○</u>)	
Caller list	<u> </u>	55
- Call	[# ⊷]	90
	(# +~) (* ^)	
- Saving a number	<u>*</u> ↔	
Advisory msg. on	\equiv	
Advisory msg. off DND on	<u><u></u> </u>	
	[* △]	•
DND off	# ⊷	97
UCD:	\square	404
- Log on	\equiv	401
- Log off		401
- Work on		403
- Work off	$\underline{}$	403
- Available		402
- Not available	-	402
- UCD night-on	_	404
- UCD night-off	(# ⊷	404
- Calls in queue	*	
Override (authorized telephone only)	(* 🎝	62
FWD for MULAP on	*	501
FWD for MULAP off	(# ⊷	501
Speaker call	(* 🎝	80
Trace call	(* 🎝	84
Temporary phone	* ^	508
Messages		
- Sending	* ۵	68
- View sent message	# ⊷	68
Conference:		
- on	* \diamond	3
- off	[# ⊷	3
Show call charges	* ^	65
Use speed dialing	* -	7
Change speed dial	* -	92
Toggle/connect	(* ^	2
DTMF dialing	<u>*</u>	53
Night answer on	<u>*</u>	44
Night answer off	 [# ⊷]	44

Functions	Codes
Park:	
- Parking a call	*
- Retrieve call	# ⊷ 56
Account code	*
Callback	*
View callbacks	# - ⁻ 58
Suppress phone number	*
Temporary phone number (MSN)	* ≏ 41
Restore phone number	# - 36
Ringing group on	*
Ringing group off	# - • 81
Hunt group/join hunt group	*
Hunt group/leave hunt group	# - • 85
Control Relay On	* ≏ 90
Control Relay Off	# - 90
Change PIN	* 93
Language selection	* ^{(*} ^(*)
Locking the phone	*
Unlocking the phone	# - [∞] 66
Directory (system, LDAP)	*
Telephone data service	* ≏ 42
Timed reminder on	* ≏ 46
Timed reminder off	# 46
Door opener on	* ≏ 89
Door opener off	# 89
Door opener	* ≏61
Pickup group	*
Pickup directed	*
Forwarding on	* ≏ 1
Forwarding off	# 1
Trunk FWD on	*
Trunk FWD off	# - ⁻ 64
CFNR off	# - • 195
CFNR on	*
Return to held call	* △ 0

Note for service personnel:

If the handset's local call list is activated, control of the call list by OpenScape Business has to be deactivated (OpenScape Business menu option "Display caller list").

This allows duplicate entries in the call list to be avoided. It is generally recommended to deactivate the call list on the telephone in the case of a team configuration (MULAP). It is recommended to activate

the call list in the case of a single device configuration.

Making calls to multiple parties

Consultation

You interrupt your call to consult with a user (including external users) and then resume the original call.

You are conducting a call.

Activating and conducting an inquiry/consultation call

R or Enquiry

- Activate inquiry. The current call is placed "on hold", so that the first user waits.
- Enter the phone number for the consultation call.

The number is dialed. The station answers. The consultation starts.

The second user is busy or does not answer

Press the display key to cancel the consultation. You are reconnected with the first party.

During the consultation you can

- Book a callback → page 72,
- Activate call waiting → page 44 or
- Busy override → page 47.

The consultation is ended and you return to the waiting call

The second user hangs up. You are reconnected with the first party.

Either: Or:

- 5

Menu

Quit and return?

Open the system menu.

Select the menu item and confirm.

You are reconnected with the first party. The second partner hears the busy tone and hangs up; a handset hangs up automatically.

However, you can also

- Toggle between the partners → page 49,
- Set up a conference → page 50 or
- Transfer the waiting partner to the second partner \rightarrow page 48.

Call waiting

You need to speak to a user in your communications system urgently, even though this user's line is busy. You can send a call waiting signal during the call to let the user know you want to talk to him or her. The user either answers immediately or you will be automatically connected when he or she has finished his call.

This function is only available if it has been configured by the service engineer.

The user is busy. You want to use call waiting.

Wait until the message "Camp-on" appears on the display (ringing tone).

You receive a call waiting signal (second call)

You are still available to other callers, even though you are on the telephone. The call waiting signal informs you of the second call while you are conducting a call. You can answer this call without ending the first call.

You are on a call and hear a call waiting signal.

If you want to answer the second call, you can either place the first call on hold (the first caller waits) or end the first call.

Placing the first call on hold and answering the second call



Answer the second call.

Talk to the second caller. The first caller waits. His or her call is on hold. You can now:

- Toggle between the two callers → page 49 or
- Set up a conference → page 50.

Ending the second call

Either:

6



Open the system menu.

Select the menu item and confirm.

Press the End call key. The following message appears on the display: "Recalling". Your phone rings.

Press the Talk key to talk to the first caller again.


Ending the first call

Press the display key to switch to the first caller.



Toggle

- Press the End call key. The first call is ended. Your phone rings.
- Press the Talk key and answer the second call.



Press the End call key to end the operation.

6

Disabling/enabling automatic call waiting

You can disable/ enable automatic call waiting signaling for a second call during a telephone conversation.



Menu

This function is only available if call waiting is activated for you in the system (consult your administrator).

Disabling the call waiting tone

- Press and hold down the Talk key.
- Open the system menu.
- Select the menu item and confirm.
- Select the menu item and confirm.
- Select the menu item and confirm. Press the End call key to end the operation.

Enabling the call waiting tone


Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.


Select the menu item and confirm. Press the End call key to end the operation.



Override

You need to speak to an internal user urgently, even though his or her line is busy. The "Override" function allows you to interrupt the ongoing call to pass on a message.

This function is only available when the code has been input and if it has been configured by the service engineer.



Call the function.

<Name>

The override is established. The user name or phone number, to whom/which the call has been transferred, is displayed.

Override is ended when you replace the handset.



During override

- all users hear an override tone and everything that is said,
- all users see the following message on the display "Override:....:".

Placing a call on hold

You can interrupt a call temporarily if, for example, you want to talk to someone else in the room. The line is placed "on hold".

You are conducting a call.

R or Enquiry Pre

Press the R key or Display key. The current call is placed "on hold", the user waits.

Resuming the call with the waiting user



Return to held call?

Open the system menu.

Select the menu item and confirm. You are reconnected to the partner.



Press the R key.

(* Д) 6 мно 2 двс

Transferring a call

Transferring a call means that you wish to hand over a call you are conducting on your handset to another user.

Transfer (without announcing the transfer)

You can use this function to forward a call you answered to another user. Open the system menu. Menu Select the menu item and confirm. or R Press the key shown. The current call is placed "on hold", so that the first user waits. R. Enter the phone number of the user to whom the call is to be transferred. C The number is dialed. Either: 6 Press the End call key. The target user's phone rings. He or she picks up the call by lifting the handset. Or: Open the system menu. Menu Select the menu item and confirm. 6 Press the End call key. The target user's phone rings. He or she picks up the call by lifting the handset.


You receive a recall:

- immediately if you have made a mistake,
- 45 seconds after the transfer if the required user does not answer.

If you do not answer recalls, another telephone defined by the service engineer

is called (intercept station).





The Toggle function allows you to switch between two users without allowing them to speak to each other directly. The two users can be either external or internal users. You can also withdraw from the calls and connect the two users with each other. You can also start a conference.



You are conducting a call.

Press the display key. The current call is placed "on hold", the user waits.

Enter the phone number of the second user.



The second user answers.

Press the display key to switch between the two calls.

When you end a call, the two users are connected with each other (not possible when both users are external).

Conducting a conference

You can connect up to 5 internal or external partners with each other in a telephone conference. You can include up to 4 external users in the conference.

For information purposes, you will hear an alerting tone every 30 seconds during a conference call (can be disabled - ask your service engineer).

Setting up a conference

You decide to set up a conference while talking to a user.

You are on a call and wish to start a conference.

Open the system menu.

Select the menu item and confirm.

Enter the phone number of the new user.

The user is free and answers the phone. You announce the conference.

Open the system menu.

Select the menu item and confirm.

You and your two partners are connected in a conference call.

Forming a conference

A conference has not yet been set up. However, you are already connected to two users and are toggling between them. You now want to form a conference involving all partners.

You are talking to the user

Open the system menu.

Select the menu item and confirm.

You and your two partners are connected in a conference call.

Expanding a conference

You can expand an existing conference to include up to five users.

You are connected with two or more partners in a conference call.

Open the system menu.


Select the menu item and confirm. The conference is placed "on hold", the users wait.

Enter the phone number of the new user.

The user is free and answers the phone. You announce the conference.

Open the system menu.

Select the menu item and confirm. The new user is included in the conference call.





	/
	Ending a conference
C	You are connected with two or more partners in a conference call.
Menu	Open the system menu
End conference?	Select the menu item and confirm. The conference is ended.
	Leaving a conference
	Press the End call key. You exit the conference.
	When one user leaves the conference, the other two users remain connected. If the party who convenes the conference leaves the conference, all calls are ended.
	Viewing the names of conference parties
	As the convener of the conference, you can view the names of all conference parties.
ſ	You are connected with two or more partners in a conference call.
	Viewing the conference parties list
Mnu	Open the additional menu.
View conf parties?	Select the menu item and confirm. The first party is displayed.
Ţ	View other parties.
	Closing the conference party list
Mnu	Open the additional menu.
Exit list?	Select the menu item and confirm. The conference party list is closed.
	Disconnecting a party from the conference
	As the convener of the conference, you can disconnect users from the confer- ence.
ſ	You are connected with two or more partners in a conference call.
Menu	Open the system menu.
View conf parties?	Select the menu item and confirm. The first party is displayed
	Display the required party.
Mnu	Select the menu item and confirm.
Remove party?	Select the menu item and confirm. The relevant party is disconnected from the
	conference.

Connecting parties

As the conference convener, you can leave the conference and thereby connect the other parties with each other. If you were previously connected with two or more parties, the other parties remain in a conference. Otherwise, the remaining two users conduct a one-to-one call.

You are connected with two or more partners in a conference call.

Open the system menu.

Select the menu item and confirm. The first party is displayed.

Press the End call key. You leave the conference; the remaining parties are connected with each other.

Using the second call feature

The second call is an incoming call that is signaled on your handset during a call and that can be queried by you (for example, \rightarrow page 44).

A second call can be answered in the following call states:

- You are on a single call,
- You are on a consultation call,
- You are holding a conference,
- · You are on a call which you intend to add to a conference,
- · You are toggling between two partners.



A second call is not signaled on the Bluetooth headset.



Central directories (group directory)

System phonebook

If the system administrator has entered a name for at least one internal user or system speed dialing destination, then you can use the system phonebook for dialing.

Opening the system phonebook

Press and hold down the Talk key.

Open the system phonebook. The first entry is displayed on the screen.

If applicable:

R.

_5

If several phonebooks have been configured: Select the menu item and confirm.

Finding an entry

Enter the first letters of the name you are looking for. The name is searched for. The search result becomes more precise as each letter is entered, i.e. the number of names found is reduced.

Select the user you want.

Dialing an entry

Confirm your selection. The selected number is called.

Quitting the phonebook

Press the display key.



Phone numbers dialed from the system phonebook are not stored in the redial list.



Telephone database (LDAP)

If your company has an LDAP telephone database and access to it is configured in your communications system, you can query it with your handset. This LDAP telephone database can contain far more entries than the phonebook on your communications system or your handset. The LDAP telephone database is installed on an LDAP server. This telephone database is accessed over the LDAP Internet protocol (Lightweight Directory Access Protocol).

This function can also be called directly by entering the code \rightarrow page 39.

Activating the LDAP telephone database

Press and hold down the Talk key.

Press the display key.

Phonebk If applicable:

6

R.

2=LDAP

If several phonebooks have been configured: Select the menu item and confirm.

Entering a name and finding an entry


You can now enter the name via the handset's keypad. Each key is assigned several letters and each letter is selected by pressing the key an appropriate number of times. For example, you have to press the "7" key three times to enter an "r".

Enter the name you want to find (maximum 16 characters). You can enter an incomplete name, e.g. "mei" for "Meier". The more characters entered, the more precise the search result.

If configured, you can search for first and last names. First and last names must be separated by a space. Do this by pressing the "0" key. You can enter incomplete names, e.g. "mei p" for "Meier Peter".

If applicable:

If you wish to delete an incorrect letter entered by mistake:



Open the additional menu.


Select the menu item and confirm.


Press the display key.

Select the menu item and confirm.

Press the display key.

The system starts to search for the entry. This can take a few seconds. The entries found are then displayed.







Deleting a list or entry in the communication system

Prerequisite: A currently unused list or entry is saved on the communications system.

If the handset with phone number 00 was used to send the list or entry to the communications system, any handset can be used to delete this list or entry. If the list or entry was sent by the handset with the phone number 99, the list or entry can only be deleted by the handset that sent it.

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm. The handset starts to delete the list/entry. Press the End call key to end the operation.

System speed dialing

Your system administrator can save up to 8000 external phone numbers as system speed dialing destinations in your communications system. You can dial these speed dialing destinations with a three-digit code (00007999).

Dialing a system speed dialing destination

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm. This function can also be activated directly by entering the appropriate code \rightarrow page 39.


Enter the required code (4 digits, 0000 - 7999).



R.

Note:

The saved speed dialing destinations and the associated codes can be obtained from the organizational unit responsible for administering the communications system.



Dialing a system speed dialing destination with suffix-dialing or a DID number

System speed dialing destinations can be saved in your communications system and then dialed by means of suffix-dialing or DDIA. These speed dialing destinations let you enter an additional suffix-dialing or DID number up to five seconds after entering the three-digit service code. If you do not make an entry within this time frame, the default suffix-dialing number, for example, "0" for the exchange, is dialed.

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the required code (3 digits, 000 - 999).

Within five seconds: enter the suffix-dialing or DID number.

System speed dialing, individual

You can save up to ten external phone numbers as speed dialing destinations for your handset in your communications system. These speed dialing destinations are dialed using a 2-digit code (*0 to *9). Please note that you may need to save an external code in front of the phone number.

This function can also be called directly by entering the code \rightarrow page 39.

Setting up an individual speed dialing destination

- Press and hold down the Talk key.
- Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Call the first destination.


Call the next destination.

Open the additional menu.


Select the menu item and confirm.

Enter the external phone number (with external code).

Save the settings.







Team functions

Activating/deactivating group calls

If this has been configured by the service engineer, you belong to one or more groups of internal users that can be reached at a hunt group or group call phone number. Calls are signaled on all telephones in the group either in succession (=hunt group) or simultaneously (=group call), until a member of the group answers the call. Every user in the group can also remain available under his own phone number.

You can leave and re-join specific groups or leave and re-join all groups. These functions can also be called directly by entering the relevant code \rightarrow page 40.

You belong to a hunt group or group call group

Use this function to leave or re-join the hunt group or group.

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm. You have now left the hunt group or group.

Select the menu item and confirm. You have now re-joined the hunt group or group.

then:





Leave hunt group?

Join hunt group?

Gruppe 1 Gruppe 2

Leave hunt group?

Join hunt group?

6

Or:

then:

Mnu

Or:

then:

Either:

Menu Either:

You belong to multiple groups

Leaving and re-joining individual groups

- Press and hold down the Talk key.
- Open the system menu.
 - Select the menu item and confirm.
 - Select the menu item and confirm.

Select the required group and call the additional menu.


Select the menu item and confirm. You have now left the selected group.

Select the menu item and confirm. You have now joined the selected group.

Press the End call key to end the operation.

Leaving and re-joining all groups

Press and hold down the Talk key.



Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

The list of groups is displayed.

#Press the hash key. You have now left all groups.

Press the star key. You have now joined all groups.

then:

Or: (∗ △

Group ringing

You can have calls to your handset signaled acoustically on up to five other telephones. The call is received by the person who answers the call first.

Adding users to a group

First user

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Open the additional menu.

Confirm the option shown.

Enter the required internal phone number.

Save the settings.

Other users:

Open the additional menu.

Select the menu item and confirm.

Enter the required internal phone number.

Save the settings.

Press the End call key to end the operation.

Deleting users

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

The number of parties added is displayed.

Open the additional menu.

Select the menu item and confirm. The first user added is displayed.

Scroll to the required user.



Open the additional menu.

Select the menu item and confirm.The addition of the first user is cleared. Press the End call key to end the operation.



UCD (Universal Call Distribution)

This function enables calls to be distributed in a team. An incoming call is always delivered to the team member who has been idle longest. Team members can also work in separate rooms, for example, on the company's premises and at a teleworking station. The teams (call distribution groups) and team members are set up by the service engineer.

Logging on/off

You must log on and off at the system when you start/finish work.

Logging on

Menu

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Select the menu item and confirm.

Enter your identifier number (assigned by the service engineer).

Press the End call key to end the operation.

Logging off

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

- Select the menu item and confirm.
- Select the menu item and confirm.
- Press the End call key to end the operation.

Logging on/off temporarily (availability)

You can log on or off at the system temporarily, for example, during break times.

Logging off (not available)

Abheben-Taste lange drücken.

Open the system menu.

Select the menu item and confirm.

- Select the menu item and confirm.
- Select the menu item and confirm.

Press the End call key to end the operation.









Service?

UCD Menu?

*401=Log on?





Mulap group (Multiple Line Application)

If your handset's line belongs to a Mulap group (Multiple Line Application), then

you can

- answer calls for the group (press the Talk key in group calls)
- make external telephone calls under the group phone number (the group phone number
- is stored in the called party's caller list, for example)
- activate and deactivate the group call function for your handset's line
- forward the lines of the Mulap group to internal or external destinations

Activating/deactivating group calls

Press and hold down the Talk key.

Open the system menu.


Select the menu item and confirm.


Press the End call key to end the operation.

Forwarding a Mulap line

You can immediately forward internal and/or external calls to your lines to different internal or external telephones (destinations) (external destinations are also possible if the system is configured accordingly).

If you activate call forwarding for a line, this shall apply to all line keys of your group for this line.





Forwarding on

Press and hold down the Talk key. Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the trunk number.

Select the menu item and confirm.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the destination number..

Save the settings.

Press the End call key to end the operation.

Forwarding off

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the trunk number.

Message functions

The message functions enable you to react to voicemail/callback services of the communication system or of other users or to initiate information features yourself.

Leaving a message/advisory message

A number of advisory messages are stored in your communication system that can be automatically sent to the caller when an internal call is not answered (in the case of handsets and telephones with display). These advisory messages can be selected and supplemented in part by you:

- 0 = Will return at:
- 1 = On vacation until:
- 2 = On trip until:
- 3 = Out all day
- 4 = Out to lunch
- 5 = Not available
- 6 = Home phone:
- 7 = Contact:
- 8 = Avail at:
- 9 = In room no.:

These advisory messages are standard texts and may have been changed in your communication system.

Activating an advisory message

Press and hold down the Talk key.



Open the system menu.

Select the menu item and confirm.

Select the required advisory message.

Add text if appropriate, e.g. time 12.00 or date 26.01. (use the Star key to create the period sign).

Save the settings.

Select the menu item and confirm.


Enter the required advisory message.

Typing errors can be corrected: activate delete mode by double-clicking the hash key and then use the hash key to delete a character.



For example, if you want to enter the third character on a key: press the relevant key three times in succession.

Save the message.



then: Send © Msg. from: ... Mnu ... Text

n:

Press the display key.

Press the End call key to end the operation.

Opening an incoming text message

An advisory message appears and the message key flashes when one or more text messages have been received for you. The date and time of incoming text messages are based on your communication system's clock. Press the "message list" key.

Open the additional menu.


Select the menu item and confirm. The text message is displayed.

Press the End call key to end the operation.

Answering a message or voicemail message

An advisory message appears and the message key flashes when one or more information messages or voicemails have been received for you.

Viewing a new message



Press the message key.

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.


Select the required message and confirm your selection.

Open the additional menu.

Select the menu item and confirm.

Open the additional menu.

Select the menu item and confirm. The time of the message is displayed.



More features

Callback

This function enables you to call a user who does not answer or whose line is busy. The Callback function enables you to contact this user as soon as he or she hangs up or re-uses his or her telephone. Please note that a line is signaled as busy when it is being called by another user. You can continue to use your handset without restriction when a callback has been booked. You can also send a callback request as a message \rightarrow page 69. This function can also be called directly by entering the code \rightarrow page 39.

Booking a callback

The number is dialed. You hear the busy tone or the user does not answer.

Save the callback request.

Press the End call key to end the operation.

You receive a callback

You will receive the callback as soon as the user you want has hung up or the first time the user uses his or her telephone. The following appears on your handset display "Callback:...".

Press the Talk key briefly. The connection is set up.

Note:

Callbacks are repeated until a connection is established or until the callback is deleted. A handset can initiate up to five callbacks and can be the destination for up to five callback requests. If these conditions are met, any further callbacks are rejected.

Deleting a callback request

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.


Select the menu item and confirm.

Select the entry.

Open the additional menu.

Select the menu item and confirm.

Press the End call key to end the operation.





6

72



[]

Answering or rejecting a call

Accepting a call

Your handset rings. The caller information appears on the display. The name and/or telephone number of the caller can be displayed. You have the following options for answering a call:

- The handset is in the charging shell: Remove the handset from the charging cradle (only works if "Auto Answer" is active).
- The handset is not in the charging cradle. Press the Talk key.

When you have accepted the call you can:

- Transfer the call → page 48,
- Place the call on hold and consult with someone else in the room → page 47,
- Place the call on hold and call a second partner → page 47 in order to forward
 → page 48 or toggle the call → page 49 or to set up a conference → page 50.

Rejecting a call

If you do not wish to be disturbed, you can reject the call.

Confirm the message displayed with one of the two display keys. The call is rejected and the caller hears the busy tone. You are routed to the other party's mailbox (if configured) or can program a callback request \rightarrow page 72.

Picking up a call in a call pickup group

You can use your handset to pick up calls to telephones within your call pickup group (set by the service engineer). This is also possible when you are conducting a call.

Prerequisite:


You hear that a telephone in your call pickup group is ringing.

Press and hold down the Talk key. The message "Call for:" appears on the display." .

Open the system menu.

Select the menu item and confirm.

You are conducting the call.





Reject call

Forwarding calls

This function is for when you leave your desk for a while and want certain calls to be forwarded to your new location. The forwarding destination for internal calls can be any internal or external phone number. The destination number is usually an external phone number because you can be reached internally anytime by means of your handset.

Activating call forwarding

Press and hold down the Talk key. Open the system menu.

Select the menu item and confirm.

Enter the destination number.

Save the settings.

Press the End call key to end the operation.



The external code must be entered before external phone numbers.

Deactivating call forwarding

Prerequisite:

The call forwarding function is activated.


Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Press the End call key briefly to end the operation.



Menu Service? Image: Constraint of the service


Directed assignment of an MSN (multiple subscriber number)

Multiple subscriber numbers are phone numbers belonging to an ISDN multiple device line. They are used for the directed addressing of terminals, for example when a fax machine has a separate number. Before selecting an external connection, you can directly assign a configured multiple subscriber number. The assigned number then appears on the called party's display.

This function can also be called directly by entering the code \rightarrow page 39. Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the required MSN (for example111).

Enter the required external phone number. The phone number is dialed.

Making calls using identification codes

In the case of calls you make to external partners, you can enter and charge the call costs on the basis of individuals, customers, accounts and private calls, for example, by means of account codes. The account code (ACCT) can contain up to 11 characters and is included in the data printout. The ACCT is only transferred after a call has been completed. The ACCT can be entered before and during the external call.

This function can also be called directly by entering the code \rightarrow page 39. Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the required account code (optional).

Save the settings.

Enter the external phone number. The phone number is dialed.



If a call is transferred, the costs are still assigned to the ACCT entered.

Using the handset as a second line

You can use your mobile phone for an outgoing call as if it were another line (temporary phone).

This function can also be called directly by entering the code \rightarrow page 39. Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the internal phone number for the relevant line.

Enter the code (lock code) for the relevant line. Do not use the default phone code (00000) for the user.

If there is no personal code for the relevant line, the system will prompt you to enter the code.

Enter the number you wish to dial. The phone number is dialed.

The "Temporary phone" function is discontinued again after the call is complete.

Deactivating the phone number display

Your service engineer can deactivate the display of your phone number and name on the called party's display for external outgoing calls. You can also activate and deactivate the phone number display on your own handset yourself.

Deactivating the phone number display

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Press the End call key to end the operation.

Activating the phone number display


Press and hold down the Talk key.


Open the system menu.

Select the menu item and confirm.

Press the End call key to end the operation.







Activating/deactivating do not disturb

You can block calls to your handset on a temporary basis, while still being able to make calls yourself. Internal callers hear the busy tone, while external callers reach another telephone defined by the service engineer (intercept position). Authorized internal callers automatically override the DND feature after five seconds.

Activating do not disturb

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Press the End call key to end the operation.

Deactivating do not disturb

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Press the End call key to end the operation.

Call charge display

After a call has ended, the display shows the connection charges for the current call as standard. If the costs are to be displayed continuously during an outgoing call, this function must be requested from the carrier.

Note:

If a call is transferred, the costs are assigned to the telephone to which the call was transferred from this point onwards.

You can check and display the call charges for your phone number as a total for

a period that can be set by the service engineer.


First the call charges for the last charged call are displayed. The total call charges are displayed after five seconds.

This function can also be called directly by entering the code \rightarrow page 39.


Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.



Press the End call key to end the operation.





Tracing a call

You can apply to your carrier for "call tracing" on malicious calls. An authorized extension is then in a position to request the identification of the phone number. This also works for 30 seconds after the malicious caller has hung up. However, you should not hang up.

This function can also be called directly by entering the code \rightarrow page 39.

You receive a malicious call.

Open the system menu.

Do not hang up.

 Menu

 Image: Service?
 Image: Service?

6

Select the menu item and confirm.

Select the menu item and confirm. The caller is identified in the attendant console.

Press the End call key to end the operation.

Entrance telephone

If the service engineer has set up an entrance telephone, you can speak to the door intercom and activate the door opener from your handset. If you are authorized to release a door, then a user can open the door by entering a five-digit code (for example, by means of a DTMF transmitter or installed keypads).

Some of the functions described below can also be called directly by entering the relevant code \rightarrow page 39.

Talking to a visitor by means of the door opener equipment

Your handset rings.

Either:

Press the Talk key within 30 seconds. You are connected to the entrance telephone immediately.

Or:

"


If more than 30 seconds have passed: Press and hold down the Talk key.

Enter the internal phone number for the door opener. You are connected to the door opener.

Using the handset to open the door opener during a call



Select the menu item and confirm.



Activating control relays

The service engineer can set up a maximum of 4 control relays that enable various equipment (for example, door opener) to be activated and deactivated. It is possible to access a specific control relay. Depending on the configuration, the control relays can be

- · activated and deactivated automatically, or
- activated and deactivated automatically on the basis of a timer.

Prerequisite: The service engineer has set up at least one switch.

This function can also be called directly by entering the code \rightarrow page 39.

Activating a control relay

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Follow the user guidance system from this point onwards. Enter the required switch code (1... 4).

Press the End call key to end the operation.

Deactivating a control relay

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Follow the user guidance system from this point onwards. Enter the required switch code (1... 4).

Press the End call key to end the operation.



External call forwarding with a multiple subscribe number

If your communications system is connected to an ISDN multiple device line, then you can forward all incoming calls from the public network through your multiple subscriber number (MSN) to an external destination.

There are three types of forwarding:

- · Calls are forwarded immediately (1=immediate call forwarding).
- Calls are forwarded after a certain time (2=unanswered calls).
- Calls are only forwarded when the line is busy (3=when busy).

Activating call forwarding to a "trunk"

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter and confirm your own multiple subscriber number.

Select the menu item and confirm.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the destination number (without the external code).

Save the settings.

Deactivating call forwarding to a "trunk"

Press and hold down the Talk key.

Open the system menu.


Select the menu item and confirm.

Select the menu item and confirm.

Follow the user guidance system from this point onwards (enter a multiple subscriber number or DID and forwarding type).

- Confirm your entries.
- Press the End call key to end the operation.





Using night service

In night service mode, for example, during lunch breaks or after office hours, all external calls are forwarded to a particular internal telephone (night station). The night station can be defined by the service engineer (= standard night service) or by you (= temporary night service). When night service is active, the night station assumes the function of the intercept station.

You have to have the appropriate COS to activate night service.

Night Service - OFF?

Using DTMF dialing

Your handset operates on the basis of digital information transmission. However, certain applications, for example answering machines, can only be operated using analogue technology. For this you have to send signals using the dual-tone multifrequency signaling (DTMF) process.

Depending on how your system is configured (automatic tone dialing on or off to be configured by the service engineer) you must first switch to DTMF dialing. This means, for example, that you can communicate with a variety of voice storage systems.

You will find further details in the operating instructions for the relevant applications.

Automatic tone dialing is not active

During a connection you have to first switch to dual-tone multifrequency signaling.

You are conducting a call.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the numbers. All entries are sent as DTMF signals.

Automatic tone dialing is active

Enter the numbers. All entries are sent as DTMF signals.



, 1...

Parking/activating calls

You can park up to ten calls (i.e. place them on hold) and then reactivate them at other telephones in your communication system.

Parking a call

You are on a call you wish to park.

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the parking position number (0... 9) and note it down. If the parking position number entered is already in use, you have to enter another one.

Picking up a specific parked call

Prerequisite:

One or more calls have been parked. Your handset is in stand-by status.

Press and hold down the Talk key.

Menu Service?

#56=Retrieve call? **P**

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the parking position number you have noted.



If a parked call is not picked up, it returns to the station from which it was parked after a certain time (= recall). The following appears on the display "Recalling: (phone no. or name)" or "recalling from (phone no. or name)".



System appointment function

You can use your handset to enter a single appointment for the next 24 hours or an appointment that recurs on a daily basis.

When the appointment is due, your handset rings for approx. 20 seconds to remind you of your appointment. The entered appointment appears on the display. This appointment call is deleted when you confirm it. Alternatively it is deleted automatically after it has been repeated 5 times at one-minute intervals.

This function can also be called directly by entering the code \rightarrow page 39.

Saving an appointment

Press and hold down the Talk key.

Open the system menu.

Æ

Menu

Menu

Select the menu item and confirm.

Select the menu item and confirm.

Enter the required time.

Note the required data format: Appointment at (HHMM); HH = two-digit hour setting mm = minutes, two digits Example: 0905 for 9.05 (= 9.05 a.m.) or 1430 for 14.30 (= 2.30 p.m.).



*46=Timed reminder on?

Remind at (HHMM):

Service?

Select the menu item.

Select the menu item and confirm.

Save the settings.

Press the End call key to end the operation.

Deleting/checking entered appointments

- Press and hold down the Talk key.
- Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.



Service?

Open the additional menu.

Select the menu item and confirm.

Select the menu item and confirm.

Press the End call key to end the operation.

6

Confirming an appointment

The handset rings and the appointment is displayed.

- Press the Talk key.
- Press the End call key. The appointment is confirmed.

Telephone lock code programming

You can protect your handset against unauthorized access (thereby safeguarding personal data) by entering a 5-position code to lock and unlock it.

To change a code, first enter the old code and then key in the new code twice.

- Press and hold down the Talk key.
- Menu Service? *93=Change PIN? <u>,</u> į₽. •

Open the system menu.

Select the menu item and confirm.

Select the menu item and confirm.

Enter the old code (5 digits, default "00000").

Enter the new PIN, for example, 11111 (5 digits).

Re-enter the new code.

Press the End call key to end the operation.

	No

ote:

If you have forgotten your PIN, contact your service engineer for help. He or she will be able to reset your PIN to "00000". It is also possible to open your handset from a central station, for example, from the attendant terminal.

Locking/unlocking the handset

You can lock your handset to prevent external dialing and programming, thereby preventing unauthorized use in your absence, for example.

Prerequisite: You have defined a personal code or use the default code "00000".

Locking the handset

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Enter the PIN code (5 digits, default "00000").

Press the End call key to end the operation.



Even though it is locked, you can still use your handset to answer external calls and make internal calls. When an external connection is established, the following message appears on the display "Telephone Lock Active".

Your handset can also be locked from a central station \rightarrow page 87.

Unlocking the handset

Press and hold down the Talk key.

Open the system menu.

Select the menu item and confirm.

Enter the PIN code (5 digits, default "00000").

Press the End call key to end the operation.







Index

Α

Account code	75
Activating/deactivating group calls	60
Activating/deactivating message LED	18
Advisory tones	
Alarm	
Alarm clock	25
switch on/off	25
Alert tone (beep)2	23, 32
Allocating	48
Answer machine	
calling back a caller	17
playing back messages	22
Answer, auto	
Answering a message or voicemail message	70
Answering a voicemail	70
Answering calls	77
Answering calls	77
•	
Appointment	24
Appointment notification setting Appointments	24 23
Appointment notification setting	24 23
Appointment notification setting Appointments	24 23 86
Appointment notification setting Appointments ~in system	24 23 86 87
Appointment notification setting Appointments ~in system confirming	24 23 86 87 86
Appointment notification setting Appointments ~in system confirming deleting	24 23 86 86 86
Appointment notification setting Appointments ~in system confirming deleting entering	24 23 86 87 86 86 86
Appointment notification setting Appointments ~in system confirming deleting entering viewing	24 23 86 86 86 86 33
Appointment notification setting Appointments ~in system confirming deleting entering viewing Assigning number key	24 23 86 87 86 86 86 33
Appointment notification setting Appointments ~in system confirming deleting entering viewing Assigning number key Auto answer	24 23 86 86 86 33 33

В

Battery	
charging	10
charging status	
inserting	9
Beep (alert tone)	
Belt clip	
Bluetooth	
activate	
changing the device name	
copy directory (vCard)	21
de-register devices	
list of known devices	
registering devices	
Broken display	

С

Call accepting16,	23
accepting16,	
	73
anonymoys~	
directed call transfer~	
external	
picking up	
rejecting	
Call answering group	
Call charges	
Call forwarding74,	
Call forwarding to a fixed destination	74
Call list	
copying a number to the directory	
delete	
delete an entry	
dialling	
entry	
opening	
Call lists	17
Call number	
suppresion	
Call pickup group	
Call waiting	
automatic ~	
Call waiting tone off/on	45
Calling	
external	15
Calls	
rejecting	
Care	
Care of the device	35
Changing	
Changing display language	30
Changing display language Changing the device name (Bluetooth)	30 28
Changing display language Changing the device name (Bluetooth) Changing the handset PIN	30 28 34
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts	30 28 34 37
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries	30 28 34 37
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset)	30 28 34 37 38
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting	30 28 34 37 38 9
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset	30 28 34 37 38 9
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset CLIP image	30 28 34 37 38 9 36
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset CLIP image view in resource directory	30 28 34 37 38 9 36 26
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset CLIP image view in resource directory Code programming	30 28 34 37 38 9 36 26 87
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset CLIP image view in resource directory Code programming Code table	30 28 34 37 38 9 36 26 87 41
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset CLIP image view in resource directory Code programming Code table Colour scheme	30 28 34 37 38 9 36 26 87 41
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset Charging time of handset CLIP image view in resource directory Code programming Code table Colour scheme Conference	30 28 34 37 38 9 36 26 87 41 30
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset Charging time of handset CLIP image view in resource directory Code programming Code table Colour scheme Conference ending	30 28 34 37 38 9 36 26 87 41 30 51
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset CLIP image view in resource directory Code programming Code table Conference ending leaving	30 28 34 37 38 9 36 26 87 41 30 51 51
Changing display language	30 28 34 37 38 9 36 26 87 41 30 51 51 51
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset Charging time of handset Charging time of handset CLIP image view in resource directory Code programming Code table Colour scheme Conference ending leaving setting up viewing	30 28 34 37 38 9 36 87 41 30 51 51 51
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset Charging time of handset Consecting setting up viewing Connecting the USB data cable	30 28 34 37 38 9 36 26 87 41 30 51 51 51 51
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset Charging time of handset Conference Conference I eaving setting up viewing Connecting the USB data cable Contact with liquid	30 28 34 37 38 . 9 36 26 87 41 30 51 51 51 51 35
Changing display language Changing the device name (Bluetooth) Changing the handset PIN Character charts Charge status of the batteries Charging cradle (handset) connecting Charging time of handset Charging time of handset Consecting setting up viewing Connecting the USB data cable	30 28 34 37 38 9 36 26 87 41 30 51 51 51 51 51 51 9

Control relays	81
Correcting incorrect entries	14
Countdown (timer)	24
Country	30

D

DDIA with speed dialing	
De-registering devices (Bluetooth)	28
Dialling	
from the call list	15
from the directory	15
from the redial list	15
using quick dial	33
Directed answering of calls	
Directed assignment of an MSN	75
Directed transfer of calls	77
Directory	19
copy vCard (Bluetooth)	21
copying numbers	20
dialling numbers	15
entry	19
LDAP	54
memory	20
opening	
order of entries	20
saving an entry	19
searching	19
selecting an entry	
sending entry/list to handset	
sending to handset	
Display	
activating/deactivating new message	18
backlight	
broken	
changing display language	30
colour scheme	
directory memory	
large font	
network mailbox message	
screensaver	
setting	
Display icons	
Display keys6,	
assigning	
icons	38
Display language	
setting	10
Door release	-
activating	80
DTMF dialing	
3	

Е

Earpiece profile		32
------------------	--	----

Earpiece volume	
automatic	
Emergency numbers	
not possible	
End call key	
Entering codes	39
Entering numbers	
Entering special characters	
Entering text	14
Entering the number	
of the network mailbox	
Entering umlauts	
Entrance telephone	79

F

Fast access	15
Firmware updates	29
Functions and codes	

G

Getting started	9
Gigaset QuickSync	21, 29
Group ringing	62

Н

Handset	
automatic keypad lock	31
changing the settings	30
colour scheme	30
connecting the charging cradle	9
display backlight	30
display language	30
handset volume	16
handsfree volume	16
idle status	13
keypad illumination	31
locking/unlocking	88
muting	16
overview	6
registering	10
resetting	34
restoring to default setting	34
set up	9
switch on/off	12
Handsfree key	16
Handsfree mode	16
Handsfree profile	32
Handsfree volume	16
Hash key	6
Headset (Bluetooth)	27
Headset connection	6

Headset socket1	1
Headset volume	1
Hunt group6	0

I

lcons	
alarm clock	25
displaying new messages	
indications	
on display keys	
status bar	
timer	24
Identification code	75
Idle status	
returning to	13
Illumination, keypad	31
Indications, icons	
Individual system speed dialing	

Κ

Key 1 (fast access)	6
Key, assigning	
Keypad illumination	
Keypad lock, automatic	31
Keys	
control key	6, 12
display keys	6, 13
end call key	6, 15
handsfree	
hash key	6
menu	12
message key	6
on/off key	
profile key	
recall key	
star key	6
talk key	
,	

L

Language	
display	30
Large font	30
LDAP telephone database	54
Liquid	35
List	
known devices (Bluetooth)	27
Lock/unlock the keypad	12
Locking/unlocking the telephone	38
Loud surroundings	16
Lower/upper case	14

Μ

Making anonymouw calls Making calls	76
accepting a call	16
external	
Manufacturer's advice	
Medical equipment	
Melody	
ringtone for internal/external calls	32
Memory in the directory	
Memory, resource directory	
Menu key	
Message	
viewing	70
Message key	
Message lists	
Messages	
Microphone	
adjust sensitivity	16, 31
switch on/off	
volume	
MSN	82
Mulap group	
activating	67
deactivating	
Multiple subscriber number	
Muting the handset	16

Ν

Network mailbox
Network MB, see Network mailbox
Number
copying to the directory20
saving in the directory 19

0

On/off key	6
Operating time of handset	36
Override	47
Overview	
handset	6

Ρ

Parking a call	85
PC Interface	
Phone directory, see Directory	15
Phonebook, see Directory	15
Picking up a call	73
Picture	

as CLIP image	26
as screensaver	
delete	
formats	
rename	
PIN	87, 88
Play sound	
Power adapter	
Profile key	
Profiles	
Protection from calls	
switch off ringtone when in charging	
cradle	25
time control	25

Q

Quick dial	15
QuickSync2	1, 29

R

Recall	
Recall key	6
Redial list	
Registering (handset)	10
Registering device (Bluetooth)	27
Rejecting a call	73
Resource Directory	
memory	
Resource directory	
view CLIP image	
Ringtone	32
automatic volume	
changing	32
melody for internal/external calls	32
switch off when in charging cradle	
time control	
volume	32

S

Safety precautions	8
Screensaver	30
Searching in directory	19
Second call	52
Sending	
entire directory to handset	20
Sensitivity	
volume	31
Service code groups	41
Setting the date	
Setting the time	10
Setting up	

handset	9
Show call charges	78
Show new messages	18
Signal strength	38
Silent alert	32
SMS	69
Snooze mode (alarm)	25
Sound	
delete	
formats	
playback	
rename	
Sound profiles	23
Sounds for ringtones	
Speaker	16
Speed dialing	
suffix-dialing/DDIA	58
system	57
system (individual)	58
Star key	6
Status bar	6
icons	38
Suffix-dialing with speed dialing	58
Switch on/off alarm (timer)	
Symbols, see Icons	
System speed dialing	
System speed dialing, individual	58

Т

Talk key	6
Team functions	
Technical data	
Telephone	
operating	
Telephone lock	87
Text message	69
Time control for external calls	25
Timer	
Tracing a call	79
Transfer	
Transferring	48
Transferring a call	

U

UCD night service65,	83
Update	. 29
Upper/lower case	. 14
USB connection socket	6

V

Viewing a message	7	'0
-------------------	---	----

Viewing network mailbox message	
Volume	
earpiece	
handset speaker/earpiece volume	
headset	
speaker	